

Weekly Air Monitoring Report – September 27, 2010
Hangar 1 Remedial Action, Moffett Field, California
Contract N62473-08-D-8816-0005

This report summarizes the air monitoring activities performed as part of the Non-Time Critical Removal Action for Polychlorinated Biphenyl Compound (PCB) contamination at Hangar 1. Air monitoring is being performed in accordance with the Final Air Monitoring Plan dated June 2010. The results of the baseline air monitoring program and derivation of action levels was presented in a previous report dated 13 August 2010.

This report contains the available monitoring data as of 27 September 2010. Analytical results for perimeter and work zone air samples are summarized in Table 1 attached. Sample locations are shown on Figure 1. Personnel (worker) air monitoring data are presented in Tables 2-4. Site perimeter particulate monitoring data are summarized in Table 5 and shown graphically in the attachment to this report. Table 6 has been added to show specific asbestos air sampling activities inside the hangar as it relates to the asbestos abatement activities. Significant observations for the current reporting period are presented below.

1.0 Site Perimeter Air Monitoring

1.1 Particulate (PM10) Continuous Air Monitoring

Particulate (Dust Trak) monitors have been operating continuously at the upwind and downwind locations shown on Figure 1 since the start of removal action activities. The site perimeter action level for particulates less than ten micrometers in diameter (PM10) is 0.18 mg/m³ (milligrams per cubic meter of air). The monitoring data for the current reporting period are shown in Table 3 and a time plot graphical representation of the data relative to the action limit is also attached.

- All monitoring results for the subject week are below the action level for particulates.

1.2 PCB Air Sampling Results

Contaminant-specific, extractive air samples were collected and analyzed for PCBs at the locations shown in Figure 1. The site perimeter action level for PCBs is 0.021 µg/m³. Analytical data are presented in Table 1.

- All PCB analytical results received through August 31, 2010 have been below the action level.
- Samples collected through September 16, have been submitted to the laboratory and results are pending.

1.3 Lead Air Sampling Results

Contaminant-specific, extractive air samples were collected and analyzed for lead at the locations shown in Figure 1. The site perimeter action level for lead is 1.0 µg/m³. Analytical data are presented in Table 1.

- All lead analytical results received through August 26, 2010 have been below the action level.
- Samples collected through September 20, have been submitted to the laboratory and results are pending.

1.3 Asbestos Air Sampling Results

Contaminant-specific, extractive air samples were collected and analyzed for asbestos at the locations shown in Figure 1. The site perimeter action level for asbestos is 0.001 f/cc (fibers per cubic centimeter of air). Analytical data are presented in Table 1.

- One air sample (collected on August 26, 2010) analysis indicated a detectable level of asbestos with a concentration of 0.002 f/cc, slightly above the action level of 0.001 f/cc. A simultaneous asbestos air sample collected within the Hangar yielded a concentration of less than the method detection limit of 0.002 f/cc. It is assumed that the perimeter 0.002 f/cc result is unrelated to the Removal Action, so further analysis is not needed at this time.
- Samples collected between September 2, and September 20, have been submitted to the laboratory and results are pending.

1.4 Asbestos Abatement Air Sampling Results

Contaminant-specific, extractive air samples were collected and analyzed for asbestos at various locations inside the hangar specific to containment or work area locations. These samples are specifically collected to illustrate the effectiveness of abatement activities inside the hangar. These results include the work area specific clearance samples which are collected after third party visual inspections are completed and before a work area is clear for demolition. The outside work area action level for asbestos is 0.01 f/cc (fibers per cubic centimeter of air). Analytical data are presented in Table 6. Maps showing specific locations for air samples are included in daily reports. When air samples are below the action level no maps are provided with this report. Copies of the sample location maps are available upon request.

- All asbestos abatement air samples collected to date have been below the action level for asbestos.
- Zone 2, containment area 3 has passed air clearance.

2.0 Personal Air Monitoring

2.1 PCB Air Sampling Results

Personal air samples were collected and analyzed for PCBs in the work zone during the reporting period. The Permissible Exposure Limit (PEL) for PCBs is 500 $\mu\text{g}/\text{m}^3$. Please note the PEL of 500 $\mu\text{g}/\text{m}^3$ is based on the allowed exposure for a worker in an 8 hour day. This number is several orders of magnitude above the fence line Perimeter action level of 0.021 $\mu\text{g}/\text{m}^3$.

- All personal air sampling to date has been below the PEL for PCBs.

2.2 Lead Air Sampling Results

Personal air samples were collected and analyzed for lead in the work zone during the reporting period. The Permissible Exposure Limit (PEL) for lead is 50 $\mu\text{g}/\text{m}^3$ and the action limit is 30 $\mu\text{g}/\text{m}^3$. Please note the PEL of 50 $\mu\text{g}/\text{m}^3$ is based on the allowed exposure for a worker in an 8 hour day. This number is above the fence line Perimeter action level of 1.0 $\mu\text{g}/\text{m}^3$

- All personal air sampling to date has been below the action level and PEL for lead.

2.3 Asbestos Air Sampling Results

Personal air samples were collected and analyzed for asbestos in the work zone during the reporting period. The PEL for asbestos is 0.1 f/cc (measured as an 8-hour time weighted average) and the excursion limit is 1.0 f/cc (averaged over a 30-minute sampling period).

- All personal air sampling to date has been below the excursion limit and PEL for asbestos.

Table 1
Air Monitoring Results for
Asbestos, Lead, Total Dust, and PCBs

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Location	Upwind/ Downwind	Sample Number	Method	Analyte	Result	Units	Action Level	Notes
3/16/2010	M03	N/A	RA-AM-316-004	NIOSH 7082	Lead	< 3.3	µg/m ³	30 µg/m ³	3, 7
3/16/2010	M03	N/A	RA-AM-316-005	NIOSH 7082	Lead	< 3.4	µg/m ³	30 µg/m ³	3, 7
3/16/2010	M03	N/A	RA-AM-316-005	NIOSH 0500	Total Dust	< 0.02	mg/m ³	-	7
3/16/2010	M01	N/A	RA-AM-316-006	NIOSH 7402	Asbestos	< 0.00125	fibers/cc	0.01 fibers/cc	2, 7
3/16/2010	F01	D	RA-AM-316-008	NIOSH 7402	Asbestos	< 0.00146	fibers/cc	0.001 fibers/cc	2, 7
3/16/2010	F01	D	RA-AM-316-009	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.001 fibers/cc	2, 7
3/16/2010	F01	D	RA-AM-316-010	NIOSH 7082	Lead	< 5.1	µg/m ³	1.0 µg/m ³	3, 7
3/16/2010	F01	D	RA-AM-316-010	NIOSH 0500	Total Dust	< 0.03	mg/m ³	0.26 mg/m ³	7
3/16/2010	F01	D	RA-AM-316-011	NIOSH 7082	Lead	< 3.5	µg/m ³	1.0 µg/m ³	3, 7
3/16/2010	F01	D	RA-AM-316-012	EPA TO-10A	PCBs	< 0.10	µg/sample	0.021 µg/m ³	1, 7
3/16/2010	M01	N/A	RA-AM-316-013	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2, 7
3/16/2010	F04	U	RA-AM-316-014	NIOSH 7082	Lead	< 1.6	µg/m ³	1.0 µg/m ³	3, 7
3/16/2010	F04	U	RA-AM-316-014	NIOSH 0500	Total Dust	< 0.01	mg/m ³	0.26 mg/m ³	7
3/16/2010	F04	U	RA-AM-316-015	NIOSH 7402	Asbestos	< 0.001	fibers/cc	0.001 fibers/cc	2, 7
3/16/2010	F04	U	RA-AM-316-016	EPA TO-10A	PCBs	< 0.10	µg/sample	0.021 µg/m ³	1, 7
3/17/2010	F02	D	RA-AM-317-018	NIOSH 7402	Asbestos	< 0.00146	fibers/cc	0.001 fibers/cc	2, 7
3/17/2010	F02	D	RA-AM-317-019	NIOSH 7082	Lead	< 2.3	µg/m ³	1.0 µg/m ³	3, 7
3/17/2010	F02	D	RA-AM-317-019	NIOSH 0500	Total Dust	< 0.02	mg/m ³	0.26 mg/m ³	7
3/17/2010	F02	D	RA-AM-317-020	EPA TO-10A	PCBs	< 0.10	µg/sample	0.021 µg/m ³	1, 4, 7
3/17/2010	M02	N/A	RA-AM-317-022	EPA TO-10A	PCBs	< 0.10	µg/sample	500 µg/m ³	1, 7
3/17/2010	M01	N/A	RA-AM-317-023	EPA TO-10A	PCBs	< 0.10	µg/sample	500 µg/m ³	1, 7
7/8/2010	F04	U	Pb-F04-0001	NIOSH 7300	Lead	< 0.52	µg/m ³	1.0 µg/m ³	3, 7
7/8/2010	F04	U	ASB-F04-0002	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2, 7
7/8/2010	F04	U	PCB-F04-003	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1, 7
7/8/2010	F02	D	Pb-F02-0004	NIOSH 7300	Lead	< 0.46	µg/m ³	1.0 µg/m ³	3, 5, 7
7/8/2010	F02	D	ASB-F02-0005	NIOSH 7400	Asbestos	0.003	fibers/cc	0.001 fibers/cc	2, 5, 7
7/8/2010	F02	D	PCB-F02-0006	EPA TO-10A	PCBs	0.13	µg/m ³	0.021 µg/m ³	1, 5, 6, 7
7/8/2010	F01	D	PCB-F01-0007	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1, 7
7/8/2010	F01	D	ASB-F01-0008	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2, 7
7/8/2010	F01	D	Pb-F01-0009	NIOSH 7300	Lead	< 0.52	µg/m ³	1.0 µg/m ³	3, 7
7/8/2010	M01	N/A	PCB-M01-0010	EPA TO-10A	PCBs	0.15	µg/m ³	500 µg/m ³	7, 8
7/8/2010	M01	N/A	ASB-M01-0011	NIOSH 7400	Asbestos	< 0.003	fibers/cc	0.01 fibers/cc	2, 7
7/8/2010	M01	N/A	Pb-M01-0012	NIOSH 7300	Lead	< 0.52	µg/m ³	30 µg/m ³	3, 7

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

M01 = Mobile Station # (See Map)

U = Upwind

D = Downwind

cc = cubic centimeter

µg/m³ = microgram/cubic meter

mg/m³ = milligram/cubic meter

N/A = Not Applicable

PCBs = Polychlorinated biphenyls - Aroclor 1262 reported unless otherwise noted

Notes:

1. Action level is based on Industrial Level Regional Screening Level (RSL) for PCBs.

2. Ambient asbestos action level at the fence line is based on 0.001 fibers/cc.

3. Ambient lead action level is based on BAAQMD Hazardous Air Pollutant Standard over a 24 hr. period.

4. Police activity (training with vehicles) during sample collection.

5. Helicopter landed and took off adjacent to this sample location.

6. Results in **bold** indicate values above the action level.

7. Background result

8. Action Level based on permissible exposure limit. Sample collected inside hangar.

Table 1
Air Monitoring Results for
Asbestos, Lead, Total Dust, and PCBs

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Location	Upwind/ Downwind	Sample Number	Method	Analyte	Result	Units	Action Level	Notes
7/8/2010	M02	N/A	PCB-M02-0013	EPA TO-10A	PCBs	0.17	µg/m ³	500 µg/m ³	7, 8
7/9/2010	F04	U	Pb-F04-0014	NIOSH 7300	Lead	< 0.52	µg/m ³	1.0 µg/m ³	3, 7
7/9/2010	F04	U	ASB-F04-0015	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.001 fibers/cc	2, 7
7/9/2010	F04	U	PCB-F04-0016	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1, 7
7/9/2010	F02	D	Pb-F02-0017	NIOSH 7300	Lead	< 0.46	µg/m ³	1.0 µg/m ³	3, 7
7/9/2010	F02	D	ASB-F02-0018	NIOSH 7400	Asbestos	0.002	fibers/cc	0.001 fibers/cc	2, 7
7/9/2010	F02	D	PCB-F02-0019	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1, 7
7/9/2010	F01	D	Pb-F01-0020	NIOSH 7300	Lead	< 0.46	µg/m ³	1.0 µg/m ³	3, 7
7/9/2010	F01	D	ASB-F01-0021	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2, 7
7/9/2010	F01	D	PCB-F01-0022	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1, 7
7/9/2010	M01	N/A	ASB-M01-0023	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.01 fibers/cc	7, 8
7/9/2010	M01	N/A	Pb-M01-0024	NIOSH 7300	Lead	< 0.52	µg/m ³	30 µg/m ³	3, 7
7/9/2010	M01	N/A	PCB-M01-0025	EPA TO-10A	PCBs	< 0.017	µg/m ³	500 µg/m ³	7, 8
7/9/2010	M02	N/A	PCB-M02-0026	EPA TO-10A	PCBs	0.15	µg/m ³	500 µg/m ³	7, 8
7/12/2010	F04	U	Pb-F04-0027	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3, 7
7/12/2010	F04	U	ASB-F04-0028	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2, 7
7/12/2010	F04	U	PCB-F04-0029	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1, 7
7/12/2010	F02	D	Pb-F02-0030	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3, 7
7/12/2010	F02	D	ASB-F02-0031	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2, 7
7/12/2010	F02	D	PCB-F02-0032	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1, 7
7/12/2010	F01	D	PCB-F01-0033	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1, 7
7/12/2010	F01	D	ASB-F01-0034	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2, 7
7/12/2010	F01	D	Pb-F01-0035	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3, 7
7/12/2010	M01	N/A	PCB-M01-0036	EPA TO-10A	PCBs	0.18	µg/m ³	500 µg/m ³	7, 8
7/12/2010	M01	N/A	ASB-M01-0037	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.01 fibers/cc	7, 8
7/12/2010	M01	N/A	Pb-M01-0038	NIOSH 7300	Lead	< 0.92	µg/m ³	30 µg/m ³	3, 7
7/12/2010	M02	N/A	PCB-M02-0039	EPA TO-10A	PCBs	0.13	µg/m ³	500 µg/m ³	7, 8
7/13/2010	F04	U	Pb-F04-0040	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3
7/13/2010	F04	U	ASB-F04-0041	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
7/13/2010	F04	U	PCB-F04-0042	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/13/2010	F02	D	Pb-F02-0043	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3
7/13/2010	F02	D	ASB-F02-0044	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
7/13/2010	F02	D	PCB-F02-0045	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

M01 = Mobile Station # (See Map)

U = Upwind

D = Downwind

cc = cubic centimeter

µg/m³ = microgram/cubic meter

mg/m³ = milligram/cubic meter

N/A = Not Applicable

PCBs = Polychlorinated biphenyls - Aroclor 1262 reported unless otherwise noted

Notes:

1. Action level is based on Industrial Level Regional Screening Level (RSL) for PCBs.

2. Ambient asbestos action level at the fence line is based on 0.001 fibers/cc.

3. Ambient lead action level is based on BAAQMD Hazardous Air Pollutant Standard over a 24 hr. period.

4. Police activity (training with vehicles) during sample collection.

5. Helicopter landed and took off adjacent to this sample location.

6. Results in **bold** indicate values above the action level.

7. Background result

8. Action Level based on permissible exposure limit. Sample collected inside hangar.

Table 1
Air Monitoring Results for
Asbestos, Lead, Total Dust, and PCBs

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Location	Upwind/ Downwind	Sample Number	Method	Analyte	Result	Units	Action Level	Notes
7/13/2010	F01	D	PCB-F01-0046	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/13/2010	F01	D	ASB-F01-0047	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
7/13/2010	F01	D	Pb-F01-0048	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3
7/13/2010	M01	N/A	PCB-M01-0049	EPA TO-10A	PCBs	0.036	µg/m ³	500 µg/m ³	8
7/13/2010	M01	N/A	ASB-M01-0050	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.01 fibers/cc	8
7/13/2010	M01	N/A	Pb-M01-0051	NIOSH 7300	Lead	< 0.92	µg/m ³	30 µg/m ³	8
7/13/2010	M02	N/A	PCB-M02-0052	EPA TO-10A	PCBs	0.19	µg/m ³	500 µg/m ³	8
7/14/2010	F04	U	Pb-F04-0053	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3
7/14/2010	F04	U	ASB-F04-0054	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
7/14/2010	F04	U	PCB-F04-0055	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/14/2010	F02	D	Pb-F02-0056	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3
7/14/2010	F02	D	ASB-F02-0057	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
7/14/2010	F02	D	PCB-F02-0058	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/14/2010	F01	D	PCB-F01-0059	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/14/2010	F01	D	ASB-F01-0060	NIOSH 7400	Asbestos	0.002	fibers/cc	0.001 fibers/cc	2
7/14/2010	F01	D	Pb-F01-0061	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3
7/14/2010	M01	N/A	PCB-M01-0062	EPA TO-10A	PCBs	0.30	µg/m ³	500 µg/m ³	8
7/14/2010	M01	N/A	ASB-M01-0063	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.01 fibers/cc	8
7/14/2010	M01	N/A	Pb-M01-0064	NIOSH 7300	Lead	< 0.91	µg/m ³	30 µg/m ³	8
7/14/2010	M02	N/A	PCB-M02-0065	EPA TO-10A	PCBs	0.081	µg/m ³	500 µg/m ³	8
7/15/2010	F04	U	Pb-F04-0066	NIOSH 7300	Lead	< 0.91	µg/m ³	1.0 µg/m ³	3
7/15/2010	F04	U	ASB-F04-0067	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
7/15/2010	F04	U	PCB-F04-0068	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/15/2010	F02	D	Pb-F02-0069	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3
7/15/2010	F02	D	ASB-F02-0070	NIOSH 7400	Asbestos	0.002	fibers/cc	0.001 fibers/cc	2
7/15/2010	F02	D	PCB-F02-0071	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/15/2010	F01	D	PCB-F01-0072	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/15/2010	F01	D	ASB-F01-0073	NIOSH 7400	Asbestos	0.002	fibers/cc	0.001 fibers/cc	2
7/15/2010	F01	D	Pb-F01-0074	NIOSH 7300	Lead	< 0.92	µg/m ³	1.0 µg/m ³	3
7/15/2010	M01	N/A	PCB-M01-0075	EPA TO-10A	PCBs	0.19	µg/m ³	500 µg/m ³	8
7/15/2010	M01	N/A	ASB-M01-0076	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.01 fibers/cc	8
7/15/2010	M01	N/A	Pb-M01-0077	NIOSH 7300	Lead	< 0.91	µg/m ³	30 µg/m ³	8
7/15/2010	M02	N/A	PCB-M02-0078	EPA TO-10A	PCBs	0.18	µg/m ³	500 µg/m ³	8

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

M01 = Mobile Station # (See Map)

U = Upwind

D = Downwind

cc = cubic centimeter

µg/m³ = microgram/cubic meter

mg/m³ = milligram/cubic meter

N/A = Not Applicable

PCBs = Polychlorinated biphenyls - Aroclor 1262 reported unless otherwise noted

Notes:

1. Action level is based on Industrial Level Regional Screening Level (RSL) for PCBs.

2. Ambient asbestos action level at the fence line is based on 0.001 fibers/cc.

3. Ambient lead action level is based on BAAQMD Hazardous Air Pollutant Standard over a 24 hr. period.

4. Police activity (training with vehicles) during sample collection.

5. Helicopter landed and took off adjacent to this sample location.

6. Results in **bold** indicate values above the action level.

7. Background result

8. Action Level based on permissible exposure limit. Sample collected inside hangar.

Table 1
Air Monitoring Results for
Asbestos, Lead, Total Dust, and PCBs

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Location	Upwind/ Downwind	Sample Number	Method	Analyte	Result	Units	Action Level	Notes
7/28/2010	F04	U	PCB-F04-0079	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/28/2010	F04	U	Pb-F04-0081	NIOSH 7300	Lead	< 0.28	µg/m ³	1.0 µg/m ³	3
7/28/2010	F02	D	PCB-F02-0082	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/28/2010	F02	D	Pb-F02-0084	NIOSH 7300	Lead	< 0.28	µg/m ³	1.0 µg/m ³	3
7/28/2010	F01	D	PCB-F01-0085	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/28/2010	F01	D	Pb-F01-0087	NIOSH 7300	Lead	< 0.27	µg/m ³	1.0 µg/m ³	3
7/28/2010	M01	N/A	PCB-M01-0088	EPA TO-10A	PCBs	0.16	µg/m ³	500 µg/m ³	8
7/28/2010	M01	N/A	Pb-M01-0090	NIOSH 7300	Lead	0.41	µg/m ³	30 µg/m ³	8
7/28/2010	M02	N/A	PCB-M02-0091	EPA TO-10A	PCBs	0.15	µg/m ³	500 µg/m ³	8
7/29/2010	F04	U	PCB-F04-0092	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/29/2010	F04	U	Pb-F04-0094	NIOSH 7300	Lead	< 0.27	µg/m ³	1.0 µg/m ³	3
7/29/2010	F02	D	PCB-F02-0095	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/29/2010	F02	D	Pb-F02-0097	NIOSH 7300	Lead	< 0.27	µg/m ³	1.0 µg/m ³	3
7/29/2010	F01	D	PCB-F01-0098	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
7/29/2010	F01	D	Pb-F01-0100	NIOSH 7300	Lead	< 0.27	µg/m ³	1.0 µg/m ³	3
7/29/2010	M01	N/A	PCB-M01-0101	EPA TO-10A	PCBs	0.15	µg/m ³	500 µg/m ³	8
7/29/2010	M01	N/A	Pb-M01-0103	NIOSH 7300	Lead	< 0.27	µg/m ³	30 µg/m ³	8
7/29/2010	M02	N/A	PCB-M02-0104	EPA TO-10A	PCBs	0.16	µg/m ³	500 µg/m ³	8
8/2/2010	F04	U	Pb-F04-0105	NIOSH 7300	Lead	< 0.28	µg/m ³	1.0 µg/m ³	3
8/2/2010	F04	U	ASB-F04-0106	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
8/2/2010	F04	U	PCB-F04-0107	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
8/2/2010	F02	D	Pb-F02-0108	NIOSH 7300	Lead	< 0.28	µg/m ³	1.0 µg/m ³	3
8/2/2010	F02	D	ASB-F02-0109	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
8/2/2010	F02	D	PCB-F02-0110	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
8/2/2010	F01	D	Pb-F01-0111	NIOSH 7300	Lead	< 0.28	µg/m ³	1.0 µg/m ³	3
8/2/2010	F01	D	ASB-F01-0112	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
8/2/2010	F01	D	PCB-F01-0113	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
8/2/2010	M01	N/A	Pb-M01-0114	NIOSH 7300	Lead	< 0.27	µg/m ³	30 µg/m ³	8
8/2/2010	M01	N/A	ASB-M01-0115	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.01 fibers/cc	8
8/2/2010	M01	N/A	PCB-M01-0116	EPA TO-10A	PCBs	0.18	µg/m ³	500 µg/m ³	8
8/2/2010	M02	N/A	PCB-M02-0117	EPA TO-10A	PCBs	0.17	µg/m ³	500 µg/m ³	8
8/16/2010	M01	N/A	PCB-M01-0118	EPA TO-10A	PCBs	0.094	µg/m ³	500 µg/m ³	8
8/16/2010	M02	N/A	PCB-M02-0119	EPA TO-10A	PCBs	0.11	µg/m ³	500 µg/m ³	8

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

M01 = Mobil Station # (See Map)

U = Upwind

D = Downwind

cc = cubic centimeter

µg/m³ = microgram/cubic meter

mg/m³ = milligram/cubic meter

N/A = Not Applicable

PCBs = Polychlorinated biphenyls - Aroclor 1262 reported unless otherwise noted

Notes:

1. Action level is based on Industrial Level Regional Screening Level (RSL) for PCBs.

2. Ambient asbestos action level at the fence line is based on 0.001 fibers/cc.

3. Ambient lead action level is based on BAAQMD Hazardous Air Pollutant Standard over a 24 hr. period.

4. Police activity (training with vehicles) during sample collection.

5. Helicopter landed and took off adjacent to this sample location.

6. Results in **bold** indicate values above the action level.

7. Background result

8. Action Level based on permissible exposure limit. Sample collected inside hangar.

Table 1
Air Monitoring Results for
Asbestos, Lead, Total Dust, and PCBs

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Location	Upwind/ Downwind	Sample Number	Method	Analyte	Result	Units	Action Level	Notes
8/17/2010	F02	D	PCB-F02-0120	EPA TO-10A	PCBs	< 0.019	µg/m ³	0.021 µg/m ³	1
8/17/2010	F01	D	PCB-F01-0121	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
8/19/2010	F02	D	Pb-F02-0122	NIOSH 7300	Lead	< 1.1	µg/m ³	1.0 µg/m ³	3
8/19/2010	F02	D	ASB-F02-0123	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
8/19/2010	F01	D	Pb-F01-0124	NIOSH 7300	Lead	< 1.0	µg/m ³	1.0 µg/m ³	3
8/19/2010	F01	D	ASB-F01-0125	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.001 fibers/cc	2
8/23/2010	M02	N/A	PCB-M02-0126	EPA TO-10A	PCBs	0.21	µg/m ³	500 µg/m ³	8
8/23/2010	M01	N/A	PCB-M01-0127	EPA TO-10A	PCBs	0.34	µg/m ³	500 µg/m ³	8
8/24/2010	F02	D	PCB-F02-0128	EPA TO-10A	PCBs	<0.017	µg/m ³	0.021 µg/m ³	1
8/24/2010	F01	D	PCB-F01-0129	EPA TO-10A	PCBs	<0.017	µg/m ³	0.021 µg/m ³	1
8/26/2010	F02	D	Pb-F02-0130	NIOSH 7300	Lead	< 1.0	µg/m ³	1.0 µg/m ³	3
8/26/2010	F02	D	ASB-F02-0131	NIOSH 7400	Asbestos	0.002	fibers/cc	0.001 fibers/cc	2
8/26/2010	M02	N/A	Pb-M02-0132	NIOSH 7300	Lead	< 1.0	µg/m ³	30 µg/m ³	8
8/26/2010	M02	N/A	ASB-M02-0133	NIOSH 7400	Asbestos	< 0.002	fibers/cc	0.01 fibers/cc	8
8/30/2010	M02	N/A	PCB-M02-0134	EPA TO-10A	PCBs	0.15	µg/m ³	500 µg/m ³	8
8/30/2010	M01	N/A	PCB-M01-0135	EPA TO-10A	PCBs	0.41	µg/m ³	500 µg/m ³	8
8/31/2010	F02	D	PCB-F02-0136	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
8/31/2010	F01	D	PCB-F01-0137	EPA TO-10A	PCBs	< 0.017	µg/m ³	0.021 µg/m ³	1
9/2/2010	M02	N/A	Pb-M02-0138	NIOSH 7300	Lead	PENDING	µg/m ³	30 µg/m ³	8
9/2/2010	M02	N/A	ASB-M02-0139	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.01 fibers/cc	8
9/2/2010	F02	D	Pb-F02-0140	NIOSH 7300	Lead	PENDING	µg/m ³	1.0 µg/m ³	3
9/2/2010	F02	D	ASB-F02-0141	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/7/2010	M02	N/A	PCB-M02-0142	EPA TO-10A	PCBs	PENDING	µg/m ³	500 µg/m ³	8
9/7/2010	M01	N/A	PCB-M01-0143	EPA TO-10A	PCBs	PENDING	µg/m ³	500 µg/m ³	8
9/8/2010	F02	D	PCB-F02-0150	EPA TO-10A	PCBs	PENDING	µg/m ³	0.021 µg/m ³	1
9/8/2010	F01	D	PCB-F01-0151	EPA TO-10A	PCBs	PENDING	µg/m ³	0.021 µg/m ³	1
9/8/2010	F04	U	PCB-F04-0158	EPA TO-10A	PCBs	PENDING	µg/m ³	0.021 µg/m ³	1
9/8/2010	M01	N/A	PCB-M01-0159	EPA TO-10A	PCBs	PENDING	µg/m ³	500 µg/m ³	8
9/8/2010	M02	N/A	PCB-M02-0160	EPA TO-10A	PCBs	PENDING	µg/m ³	500 µg/m ³	8
9/9/2010	M01	N/A	Pb-M01-0161	NIOSH 7300	Lead	PENDING	µg/m ³	30 µg/m ³	8
9/9/2010	M02	N/A	Pb-M02-0162	NIOSH 7300	Lead	PENDING	µg/m ³	30 µg/m ³	8
9/9/2010	F02	D	Pb-F02-0163	NIOSH 7300	Lead	PENDING	µg/m ³	1.0 µg/m ³	3
9/9/2010	F02	D	ASB-F02-0164	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

M01 = Mobile Station # (See Map)

U = Upwind

D = Downwind

cc = cubic centimeter

µg/m³ = microgram/cubic meter

mg/m³ = milligram/cubic meter

N/A = Not Applicable

PCBs = Polychlorinated biphenyls - Aroclor 1262 reported unless otherwise noted

Notes:

1. Action level is based on Industrial Level Regional Screening Level (RSL) for PCBs.

2. Ambient asbestos action level at the fence line is based on 0.001 fibers/cc.

3. Ambient lead action level is based on BAAQMD Hazardous Air Pollutant Standard over a 24 hr. period.

4. Police activity (training with vehicles) during sample collection.

5. Helicopter landed and took off adjacent to this sample location.

6. Results in **bold** indicate values above the action level.

7. Background result

8. Action Level based on permissible exposure limit. Sample collected inside hangar.

Table 1
Air Monitoring Results for
Asbestos, Lead, Total Dust, and PCBs

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Location	Upwind/ Downwind	Sample Number	Method	Analyte	Result	Units	Action Level	Notes
9/9/2010	F01	D	Pb-F01-0165	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/9/2010	F01	D	ASB-F01-0166	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/9/2010	F02	D	PCB-F02-0167	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	0.021 $\mu\text{g}/\text{m}^3$	1
9/9/2010	F01	D	PCB-F01-0168	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	0.021 $\mu\text{g}/\text{m}^3$	1
9/9/2010	F04	U	PCB-F04-0169	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	0.021 $\mu\text{g}/\text{m}^3$	1
9/9/2010	M01	N/A	PCB-M01-0170	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	500 $\mu\text{g}/\text{m}^3$	8
9/10/2010	M01	N/A	Pb-M01-0175	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	30 $\mu\text{g}/\text{m}^3$	8
9/10/2010	M02	N/A	Pb-M02-0176	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	30 $\mu\text{g}/\text{m}^3$	8
9/10/2010	F02	D	ASB-F02-0177	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/10/2010	F02	D	Pb-F02-0178	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/10/2010	F01	D	ASB-F01-0179	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/10/2010	F01	D	Pb-F01-0180	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/15/2010	M02	N/A	Pb-M02-0208	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	30 $\mu\text{g}/\text{m}^3$	8
9/15/2010	M01	N/A	Pb-M01-0209	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	30 $\mu\text{g}/\text{m}^3$	8
9/15/2010	F02	D	Pb-F02-0210	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/15/2010	F02	D	ASB-F02-0211	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/15/2010	F01	D	Pb-F01-0212	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/15/2010	F01	D	ASB-F01-0213	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/15/2010	F04	U	Pb-F04-0214	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/15/2010	F04	U	ASB-F04-0215	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/16/2010	M02	N/A	PCB-M02-0220	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	500 $\mu\text{g}/\text{m}^3$	8
9/16/2010	M01	N/A	PCB-M01-0221	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	500 $\mu\text{g}/\text{m}^3$	8
9/16/2010	F02	D	PCB-F02-0222	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	0.021 $\mu\text{g}/\text{m}^3$	1
9/16/2010	F01	D	PCB-F01-0223	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	0.021 $\mu\text{g}/\text{m}^3$	1
9/16/2010	F04	U	PCB-F04-0224	EPA TO-10A	PCBs	PENDING	$\mu\text{g}/\text{m}^3$	0.021 $\mu\text{g}/\text{m}^3$	1
9/20/2010	M02	N/A	Pb-M02-0230	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	30 $\mu\text{g}/\text{m}^3$	8
9/20/2010	M01	N/A	Pb-M01-0231	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	30 $\mu\text{g}/\text{m}^3$	8
9/20/2010	F02	D	Pb-F02-0232	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/20/2010	F02	D	ASB-F02-0233	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/20/2010	F01	D	Pb-F01-0234	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/20/2010	F01	D	ASB-F01-0235	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2
9/20/2010	F04	U	Pb-F04-0236	NIOSH 7300	Lead	PENDING	$\mu\text{g}/\text{m}^3$	1.0 $\mu\text{g}/\text{m}^3$	3
9/20/2010	F04	U	ASB-F04-0237	NIOSH 7400	Asbestos	PENDING	fibers/cc	0.001 fibers/cc	2

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

M01 = Mobile Station # (See Map)

U = Upwind

D = Downwind

cc = cubic centimeter

$\mu\text{g}/\text{m}^3$ = microgram/cubic meter

mg/m³ = milligram/cubic meter

N/A = Not Applicable

PCBs = Polychlorinated biphenyls - Aroclor 1262 reported unless otherwise noted

Notes:

1. Action level is based on Industrial Level Regional Screening Level (RSL) for PCBs.

2. Ambient asbestos action level at the fence line is based on 0.001 fibers/cc.

3. Ambient lead action level is based on BAQMD Hazardous Air Pollutant Standard over a 24 hr. period.

4. Police activity (training with vehicles) during sample collection.

5. Helicopter landed and took off adjacent to this sample location.

6. Results in **bold** indicate values above the action level.

7. Background result

8. Action Level based on permissible exposure limit. Sample collected inside hangar.

Table 2
Personal Air Monitoring Results for Lead

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Number	Method	Analyte	Result	Units	Sample Type	Action Level	Notes	Work Activity Performed
3/15/2010	RA-AM-315-001	NIOSH 7082	Lead	< 35.0	µg/m ³	N/A	30 µg/m ³	1	Catwalk inspection, walking through hangar, climbing ladders, etc.
3/15/2010	RA-AM-315-002	NIOSH 7082	Lead	< 36.0	µg/m ³	N/A	30 µg/m ³	1	Catwalk inspection, walking through hangar, climbing ladders, etc.
3/15/2010	RA-AM-315-003	NIOSH 7082	Lead	< 34.0	µg/m ³	N/A	30 µg/m ³	1	Catwalk inspection, walking through hangar, climbing ladders, etc.
3/16/2010	RA-AM-316-007	NIOSH 7082	Lead	< 7.0	µg/m ³	N/A	30 µg/m ³	1	Structural engineer (walking on catwalks disturbing dust)
3/17/2010	RA-AM-317-017	NIOSH 7082	Lead	< 5.3	µg/m ³	N/A	30 µg/m ³	1	Structural survey (walking on catwalks, disturbing dust)
7/9/2010	7-9-3	NIOSH 7082	Lead	11.47	µg/m ³	TWA	30 µg/m ³	1	Moving out furniture throughout South end of building
7/9/2010	7-9-6	NIOSH 7082	Lead	5.99	µg/m ³	TWA	30 µg/m ³	1	Going up to roof to inspect crane
7/12/2010	7-12-3	NIOSH 7082	Lead	3.23	µg/m ³	TWA	30 µg/m ³	1	Moving out furniture throughout Southeast corner of building, 1st, 2nd, and 3rd floor
7/13/2010	7-13-1	NIOSH 7082	Lead	4.26	µg/m ³	TWA	30 µg/m ³	1	Moving out furniture throughout Southeast corner of building, 1st, 2nd, and 3rd floor
7/14/2010	7-14-1	NIOSH 7082	Lead	2.61	µg/m ³	TWA	30 µg/m ³	1	Moving out furniture South east of building
7/15/2010	7-15-1	NIOSH 7082	Lead	3.22	µg/m ³	TWA	30 µg/m ³	1	Moving furniture throughout inside the hangar
7/20/2010	7-19-1	NIOSH 7082	Lead	2.6	µg/m ³	TWA	30 µg/m ³	1	Moving piles of furniture with Bobcat
7/20/2010	7-20-1	NIOSH 7082	Lead	2.6	µg/m ³	TWA	30 µg/m ³	1	Cleaning hangar floor using street sweeper with water
9/1/2010	HVRL-1	NIOSH 7082	Lead	3.99	µg/m ³	TWA	30 µg/m ³	1	HEPA vac roof/dust
9/9/2010	ZIT-99-1	NIOSH 7082	Lead	< 3.21	µg/m ³	TWA	30 µg/m ³	1	VAT/Nuisance dust
9/9/2010	ZID-99-2	NIOSH 7082	Lead	< 2.49	µg/m ³	TWA	30 µg/m ³	1	Asbestos duct tape/Nuisance dust

Abbreviations/Acronyms:

µg/m³ = microgram/cubic meter

N/A = Not Applicable

TWA = Time Weighted Average

Notes:

1. Permissible Exposure Limit is 50 µg/m³, worker activity did not exceed the PEL.

Table 3
Personal Air Monitoring Results for Asbestos

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Number	Method	Analyte	Result	Units	Sample Type	PEL	Notes	Work Activity Performed
7/9/2010	7-9-1	NIOSH 7400 A	Asbestos	0.056	fibers/cc	EX	1.0 fibers/cc	1	Moving out furniture throughout Southeast corner of building
7/9/2010	7-9-2	NIOSH 7400 A	Asbestos	0.02	fibers/cc	TWA	0.1 fibers/cc	2	Moving out furniture throughout Southeast corner of building
7/9/2010	7-9-4	NIOSH 7400 A	Asbestos	0.057	fibers/cc	EX	1.0 fibers/cc	1	Going up to roof to inspect crane
7/9/2010	7-9-5	NIOSH 7400 A	Asbestos	0.003	fibers/cc	TWA	0.1 fibers/cc	2	Going up to roof to inspect crane
7/12/2010	7-12-1	NIOSH 7400 A	Asbestos	0.057	fibers/cc	EX	1.0 fibers/cc	1	Moving out furniture throughout Southeast corner of building, 1st, 2nd, and 3rd floor
7/12/2010	7-12-2	NIOSH 7400 A	Asbestos	0.015	fibers/cc	TWA	0.1 fibers/cc	2	Moving out furniture throughout Southeast corner of building, 1st, 2nd, and 3rd floor
7/13/2010	7-13-2	NIOSH 7400 A	Asbestos	0.08	fibers/cc	EX	1.0 fibers/cc	1	Moving out furniture throughout Southeast corner of building, 1st, 2nd, and 3rd floor
7/13/2010	7-13-3	NIOSH 7400 A	Asbestos	0.01	fibers/cc	TWA	0.1 fibers/cc	2	Moving out furniture throughout Southeast corner of building, 1st, 2nd, and 3rd floor
7/14/2010	7-14-2	NIOSH 7400 A	Asbestos	0.192	fibers/cc	EX	1.0 fibers/cc	1	Moving out furniture throughout mezzanine on Southeast side of building
7/14/2010	7-14-3	NIOSH 7400 A	Asbestos	0.002	fibers/cc	TWA	0.1 fibers/cc	2	Moving out furniture throughout mezzanine on Southeast side of building
7/15/2010	7-15-2	NIOSH 7400 A	Asbestos	0.061	fibers/cc	EX	1.0 fibers/cc	1	Moving out furniture 3rd floor, Southeast corner of building
7/15/2010	7-15-3	NIOSH 7400 A	Asbestos	0.022	fibers/cc	TWA	0.1 fibers/cc	2	Moving out furniture 3rd floor, Southeast corner of building
8/18/2010	8-18-1	NIOSH 7400 A	Asbestos	< 0.045	fibers/cc	EX	1.0 fibers/cc	1	Setting up plastic for load out area
8/18/2010	8-18-2	NIOSH 7400 A	Asbestos	0.014	fibers/cc	TWA	0.1 fibers/cc	2	Setting up plastic for load out area
8/19/2010	8-19-1	NIOSH 7400 A	Asbestos	0.102	fibers/cc	EX	1.0 fibers/cc	1	Setup plastic and cleanup
8/19/2010	8-19-2	NIOSH 7400 A	Asbestos	0.005	fibers/cc	TWA	0.1 fibers/cc	2	Setup plastic and cleanup
8/23/2010	8-23-1	NIOSH 7400 A	Asbestos	0.369	fibers/cc	EX	1.0 fibers/cc	1	Setup poly
8/23/2010	8-23-2	NIOSH 7400 A	Asbestos	0.003	fibers/cc	TWA	0.1 fibers/cc	2	Setup poly
9/1/2010	HVRA-1	NIOSH 7400 A	Asbestos	0.102	fibers/cc	EX	1.0 fibers/cc	1	HEPA vac non-ACM roof/Dust
9/1/2010	HVRA-2	NIOSH 7400 A	Asbestos	0.009	fibers/cc	TWA	0.1 fibers/cc	2	HEPA vac non-ACM roof/Dust
9/2/2010	HVRA-4	NIOSH 7400 A	Asbestos	0.098	fibers/cc	EX	1.0 fibers/cc	1	HEPA vac non-ACM roof/Nuisance dust
9/2/2010	HVRA-5	NIOSH 7400 A	Asbestos	0.005	fibers/cc	TWA	0.1 fibers/cc	2	HEPA vac non-ACM roof/Nuisance dust
9/9/2010	ZI-99-1	NIOSH 7400 A	Asbestos	0.135	fibers/cc	EX	1.0 fibers/cc	1	HVAC removal/Nuisance dust
9/9/2010	ZI-99-2	NIOSH 7400 A	Asbestos	0.082	fibers/cc	EX	1.0 fibers/cc	1	VAT/Nuisance dust

Abbreviations/Acronyms:

cc = cubic centimeter

EX = Excursion

TWA = Time Weighted Average

Notes:

1. Permissible Exposure Limit for excursion is 1.0 fibers/cc, worker activity did not exceed the PEL.
2. Permissible Exposure Limit for TWA is 0.1 fibers/cc, worker activity did not exceed the PEL.

Table 3
Personal Air Monitoring Results for Asbestos

DRAFT

See Notes, Abbreviations and Acronyms at the end of the table.

Abbreviations/Accronyms:

cc = cubic centimeter

EX = Excursion

TWA = Time Weighted Average

Notes:

1. Permissible Exposure Limit for excursion is 1.0 fibers/cc, worker activity did not exceed the PEL.
 2. Permissible Exposure Limit for TWA is 0.1 fibers/cc, worker activity did not exceed the PEL.

Table 4
Personal Air Monitoring Results for PCBs

DRAFT

See Notes, Abbreviations and Acronyms at the end of the table.

Abbreviations/Acronyms:

$\mu\text{g}/\text{s}$ = microgram/sample

TWA = Time Weighted Average

EX = Excursion

Notes:

1. Action Level based on permissible exposure limit. Sample collected inside hangar.

Table 5
Summary of DustTrak Data

See Notes, Abbreviations and Acronyms at the end of the table.

Start Date	End Date	Total Time	Fixed Station	Upwind/Downwind	Avg. Result (mg/m ³)	Max Result (mg/m ³)	Max Date	Max Time	Action Level (mg/m ³)	Notes
6/29/2010	6/30/2010	0:23:13:00	F02	D	0.019	0.024	6/30/2010	3:24:59	0.18	1
7/6/2010	7/6/2010	0:11:11:00	F01	U	0.016	0.037	7/6/2010	15:23:33	0.18	1
7/6/2010	7/7/2010	1:01:12:00	F04	U	0.016	0.021	7/7/2010	8:30:28	0.18	1
7/6/2010	7/7/2010	1:01:11:00	F02	D	0.015	0.025	7/7/2010	9:03:43	0.18	1
7/7/2010	7/9/2010	1:21:01:00	F04	U	0.015	0.023	7/7/2010	13:06:47	0.18	1
7/7/2010	7/8/2010	0:15:54:00	F02	D	0.017	0.023	7/7/2010	13:18:16	0.18	1
7/7/2010	7/9/2010	2:04:49:00	F01	D	0.014	0.022	7/7/2010	13:04:27	0.18	1
7/8/2010	7/9/2010	1:07:39:00	F02	D	0.011	0.021	7/8/2010	10:50:47	0.18	1
7/9/2010	7/9/2010	0:01:23:00	F02	D	0.013	0.016	7/9/2010	19:29:46	0.18	1
7/9/2010	7/12/2010	3:03:14:00	F04	U	0.019	0.041	7/10/2010	9:02:40	0.18	1
7/12/2010	7/13/2010	0:22:52:00	F04	U	0.015	0.023	7/13/2010	12:05:57	0.18	1
7/12/2010	7/13/2010	0:22:50:00	F02	D	0.012	0.017	7/13/2010	3:20:02	0.18	1
7/13/2010	7/14/2010	1:03:42:00	F04	U	0.018	0.032	7/14/2010	8:24:03	0.18	1
7/13/2010	7/14/2010	1:03:50:00	F01	D	0.014	0.031	7/14/2010	8:18:54	0.18	1
7/14/2010	7/15/2010	0:14:29:00	F02	D	0.014	0.018	7/15/2010	6:19:55	0.18	1
7/15/2010	7/15/2010	0:05:00:00	F02	D	0.016	0.018	7/15/2010	8:10:57	0.18	1
7/15/2010	7/20/2010	5:01:30:00	F04	U	0.026	0.046	7/15/2010	5:48:32	0.18	1
7/15/2010	7/20/2010	4:19:00:00	F02	D	0.025	0.044	7/17/2010	5:57:01	0.18	1
7/15/2010	7/20/2010	4:20:00:00	F01	D	0.023	0.044	7/17/2010	5:40:48	0.18	1
7/20/2010	7/22/2010	1:22:30:00	F02	D	0.019	0.041	7/20/2010	11:42:53	0.18	1
7/20/2010	7/22/2010	2:03:00:00	F01	D	0.017	0.033	7/20/2010	13:01:44	0.18	1
7/21/2010	7/21/2010	0:05:30:00	F02	D	0.015	0.017	7/21/2010	13:25:00	0.18	1
7/22/2010	7/26/2010	3:16:00:00	F02	D	0.017	0.042	7/23/2010	1:05:36	0.18	1
7/22/2010	7/25/2010	3:19:30:00	F01	D	0.014	0.040	7/22/2010	19:43:47	0.18	1
7/26/2010	7/27/2010	1:04:22:00	F04	U	0.019	0.028	7/26/2010	12:36:27	0.18	1
7/26/2010	7/27/2010	1:03:00:00	F02	D	0.016	0.023	7/26/2010	7:35:00	0.18	1
7/26/2010	7/27/2010	0:19:00:00	F01	D	0.013	0.017	7/26/2010	20:47:41	0.18	1
7/27/2010	7/28/2010	0:21:55:00	F04	U	0.014	0.028	7/28/2010	3:38:39	0.18	1
7/27/2010	7/28/2010	0:19:30:00	F02	D	0.01	0.022	7/28/2010	2:51:49	0.18	1
7/27/2010	7/28/2010	0:19:30:00	F01	D	0.007	0.021	7/28/2010	3:02:41	0.18	1
7/28/2010	7/28/2010	0:06:30:00	F04	U	0.016	0.028	7/28/2010	11:25:05	0.18	1
7/28/2010	7/29/2010	0:22:30:00	F02	D	0.023	0.045	7/28/2010	13:25:06	0.18	1

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

mg/m³ = milligram/cubic meter

U = Upwind

D = Downwind

N/A = Not Applicable

1:02:03:04 = Day:Hour:Minute:Second

Notes:

1. Derived by from the appropriate RSL, existing average dust concentrations and the background dust sampling.

Table 5
Summary of DustTrak Data

See Notes, Abbreviations and Acronyms at the end of the table.

Start Date	End Date	Total Time	Fixed Station	Upwind/Downwind	Avg. Result (mg/m ³)	Max Result (mg/m ³)	Max Date	Max Time	Action Level (mg/m ³)	Notes
7/28/2010	7/29/2010	0:22:30:00	F01	D	0.014	0.030	7/28/2010	11:28:11	0.18	1
7/29/2010	8/2/2010	3:22:30:00	F04	U	0.021	0.050	7/31/2010	13:14:57	0.18	1
7/30/2010	8/2/2010	3:16:00:00	F02	D	0.024	0.061	7/31/2010	20:44:23	0.18	1
7/29/2010	8/2/2010	3:22:30:00	F01	D	0.023	0.056	7/31/2010	15:43:53	0.18	1
8/2/2010	8/3/2010	0:21:00:00	F04	U	0.016	0.034	8/3/2010	8:23:51	0.18	1
8/2/2010	8/3/2010	0:21:00:00	F02	D	0.016	0.032	8/2/2010	19:36:38	0.18	1
8/2/2010	8/3/2010	0:21:00:00	F01	D	0.018	0.034	8/2/2010	22:24:48	0.18	1
8/3/2010	8/4/2010	0:21:00:00	F04	U	0.016	0.030	8/4/2010	7:46:37	0.18	1
8/3/2010	8/4/2010	0:21:00:00	F02	D	0.015	0.030	8/3/2010	22:29:08	0.18	1
8/3/2010	8/4/2010	0:21:00:00	F01	D	0.018	0.032	8/4/2010	18:18:00	0.18	1
8/4/2010	8/5/2010	1:00:30:00	F04	U	0.01	0.018	8/4/2010	10:48:47	0.18	1
8/4/2010	8/5/2010	1:00:30:00	F02	D	0.009	0.022	8/4/2010	21:59:41	0.18	1
8/4/2010	8/5/2010	1:01:00:00	F01	D	0.012	0.022	8/5/2010	0:17:38	0.18	1
8/5/2010	8/9/2010	3:20:30:00	F02	D	0.012	0.041	8/6/2010	21:43:56	0.18	1
8/5/2010	8/8/2010	3:20:30:00	F01	D	0.008	0.023	8/6/2010	0:01:09	0.18	1
8/5/2010	8/6/2010	1:00:00:00	F04	U	0.016	0.033	8/6/2010	13:33:09	0.18	1
8/9/2010	8/10/2010	0:23:30:00	F02	D	0.016	0.027	8/10/2010	18:16:37	0.18	1
8/9/2010	8/10/2010	0:23:30:00	F04	U	0.014	0.027	8/10/2010	10:33:57	0.18	1
8/9/2010	8/10/2010	0:23:30:00	F01	D	0.015	0.027	8/10/2010	21:04:51	0.18	1
8/10/2010	8/11/2010	1:01:00:00	F02	D	0.017	0.039	8/10/2010	21:10:39	0.18	1
8/10/2010	8/11/2010	1:01:00:00	F01	D	0.017	0.035	8/10/2010	12:34:55	0.18	1
8/10/2010	8/11/2010	1:01:00:00	F04	U	0.015	0.032	8/10/2010	13:28:31	0.18	1
8/11/2010	8/12/2010	0:23:00:00	F04	U	0.004	0.014	8/12/2010	12:02:49	0.18	1
8/11/2010	8/12/2010	0:23:30:00	F01	D	0.006	0.018	8/12/2010	12:12:59	0.18	1
8/11/2010	8/12/2010	0:23:30:00	F02	D	0.007	0.022	8/12/2010	12:36:52	0.18	1
8/16/2010	8/17/2010	1:00:30:00	F04	U	0.012	0.023	8/16/2010	12:50:04	0.18	1
8/16/2010	8/17/2010	1:00:30:00	F02	D	0.012	0.028	8/16/2010	12:54:25	0.18	1
8/16/2010	8/17/2010	1:01:00:00	F01	D	0.015	0.028	8/16/2010	12:57:59	0.18	1
8/17/2010	8/18/2010	1:00:00:00	F04	U	0.008	0.013	8/18/2010	3:12:59	0.18	1
8/17/2010	8/18/2010	1:00:00:00	F02	D	0.012	0.034	8/18/2010	8:48:17	0.18	1
8/17/2010	8/18/2010	1:00:00:00	F01	D	0.011	0.014	8/17/2010	12:22:18	0.18	1
8/18/2010	8/19/2010	1:01:00:00	F04	U	0.013	0.026	8/19/2010	12:09:55	0.18	1

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

mg/m³ = milligram/cubic meter

U = Upwind

D = Downwind

N/A = Not Applicable

1:02:03:04 = Day:Hour:Minute:Second

Notes:

1. Derived by from the appropriate RSL, existing average dust concentrations and the background dust sampling.

Table 5
Summary of DustTrak Data

See Notes, Abbreviations and Acronyms at the end of the table.

Start Date	End Date	Total Time	Fixed Station	Upwind/Downwind	Avg. Result (mg/m ³)	Max Result (mg/m ³)	Max Date	Max Time	Action Level (mg/m ³)	Notes
8/18/2010	8/19/2010	1:01:00:00	F02	D	0.017	0.037	8/19/2010	12:14:29	0.18	1
8/19/2010	8/19/2010	1:01:00:00	F01	D	0.016	0.031	8/19/2010	11:19:11	0.18	1
8/19/2010	8/19/2010	0:01:00:00	F01	D	0.026	0.039	8/19/2010	15:42:01	0.18	1
8/19/2010	8/23/2010	3:16:00:00	F01	D	0.023	0.049	8/23/2010	1:19:07	0.18	1
8/19/2010	8/23/2010	3:17:00:00	F02	D	0.024	0.042	8/20/2010	8:52:05	0.18	1
8/19/2010	8/23/2010	3:17:00:00	F04	U	0.021	0.045	8/20/2010	8:31:25	0.18	1
8/23/2010	8/24/2010	1:00:00:00	F02	D	0.025	0.035	8/23/2010	16:52:03	0.18	1
8/23/2010	8/24/2010	1:00:00:00	F01	D	0.005	0.008	8/23/2010	13:24:16	0.18	1
8/23/2010	8/24/2010	1:00:00:00	F04	U	0.026	0.055	8/23/2010	16:45:25	0.18	1
8/24/2010	8/25/2010	1:01:30:00	F02	D	0.029	0.040	8/25/2010	11:12:47	0.18	1
8/24/2010	8/25/2010	1:01:30:00	F01	D	0.032	0.049	8/25/2010	8:45:16	0.18	1
8/24/2010	8/25/2010	1:01:30:00	F04	U	0.029	0.049	8/24/2010	13:08:41	0.18	1
8/25/2010	8/26/2010	0:20:00:00	F04	U	0.036	0.072	8/25/2010	13:49:12	0.18	1
8/25/2010	8/26/2010	0:19:30:00	F02	D	0.03	0.047	8/25/2010	13:31:36	0.18	1
8/25/2010	8/26/2010	0:19:30:00	F01	D	0.036	0.049	8/26/2010	8:04:53	0.18	1
8/26/2010	8/26/2010	0:07:30:00	F02	D	0.028	0.042	8/26/2010	10:26:38	0.18	1
8/26/2010	8/30/2010	3:23:30:00	F04	U	0.018	0.050	8/26/2010	9:22:33	0.18	1
8/26/2010	8/30/2010	3:23:30:00	F01	D	0.019	0.053	8/26/2010	9:29:21	0.18	1
8/30/2010	8/31/2010	0:21:30:00	F01	D	0.009	0.016	8/31/2010	7:57:44	0.18	1
8/30/2010	8/31/2010	0:21:30:00	F02	D	0.005	0.012	8/30/2010	11:54:15	0.18	1
8/30/2010	8/31/2010	0:21:30:00	F04	U	0.006	0.015	8/31/2010	7:49:46	0.18	1
8/31/2010	9/1/2010	0:22:30:00	F01	D	0.012	0.019	8/31/2010	10:32:17	0.18	1
8/31/2010	9/1/2010	0:22:30:00	F02	D	0.01	0.022	8/31/2010	3:59:00	0.18	1
8/31/2010	9/1/2010	0:22:00:00	F04	U	0.009	0.016	8/31/2010	1:16:41	0.18	1
9/1/2010	9/2/2010	0:23:22:00	F01	D	0.017	0.031	9/2/2010	7:37:40	0.18	1
9/1/2010	9/2/2010	1:01:30:00	F02	D	0.012	0.038	9/2/2010	7:44:05	0.18	1
9/1/2010	9/2/2010	0:23:00:00	F04	U	0.014	0.022	9/2/2010	8:51:11	0.18	1
9/1/2010	9/1/2010	0:02:00:00	F04	U	0.02	0.023	9/1/2010	11:41:23	0.18	1
9/2/2010	9/7/2010	4:20:50:00	F01	D	0.028	0.049	9/7/2010	5:13:35	0.18	1
9/2/2010	9/7/2010	4:20:12:00	F02	D	0.025	0.049	9/7/2010	6:00:13	0.18	1
9/7/2010	9/8/2010	0:22:00:00	F01	D	0.01	0.027	9/7/2010	10:57:53	0.18	1
9/7/2010	9/8/2010	0:22:00:00	F02	D	0.007	0.026	9/7/2010	10:22:56	0.18	1

Abbreviations/Acronyms:

F01 = Fixed Station # (See Map)

mg/m³ = milligram/cubic meter

U = Upwind

D = Downwind

N/A = Not Applicable

1:02:03:04 = Day:Hour:Minute:Second

Notes:

1. Derived by from the appropriate RSL, existing average dust concentrations and the background dust sampling.

Table 5
Summary of DustTrak Data

See Notes, Abbreviations and Acronyms at the end of the table.

Abbreviations/Accronyms:

F01 = Fixed Station # (See Map)

mg/m^3 = milligram/cubic meter

$U = \text{Upwind}$

D = Downwind

N/A = Not Applicable

1:02:03:04 = Day:Hour:Minute:Second

Notes:

1. Derived by from the appropriate RSL, existing average dust concentrations and the background dust sampling.

Table 6
Air Monitoring Results for Asbestos during abatement inside Hangar 1

See Notes, Abbreviations and Acronyms at the end of the table.

Date	Sample Location	Inside/ Outside Containment	Sample Type	Sample Number	Method	Analyte	Result	Units	Action Level	Notes
9/7/2010	Zone 1	Inside	Pre-Abatement	ASB-Z1-C1-0144	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/7/2010	Zone 1	Inside	Pre-Abatement	ASB-Z1-C1-0145	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/7/2010	Zone 1	Inside	Pre-Abatement	ASB-Z1-C1-0146	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/7/2010	Zone 1	Inside	Pre-Abatement	ASB-Z1-C1-0147	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/8/2010	Zone 1, Containment 1	Outside	Decon	ASB-Z1-C1-0152	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/8/2010	Zone 1, Containment 1	Outside	Decon	ASB-Z1-C1-0153	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/8/2010	Zone 2, Containment 1	Inside	Pre-Abatement	ASB-Z2-C1-0154	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/8/2010	Zone 2, Containment 1	Inside	Pre-Abatement	ASB-Z2-C1-0155	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/8/2010	Zone 2, Containment 1	Inside	Pre-Abatement	ASB-Z2-C1-0156	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/9/2010	Zone 3	Outside	Area	ASB-0172	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/9/2010	Zone 2	Outside	Area	ASB-0173	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/10/2010	Zone 5	Outside	Area	ASB-0181	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/10/2010	Zone 3	Outside	Area	ASB-0182	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/10/2010	Zone 1	Outside	Area	ASB-0183	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/10/2010	Zone 2	Outside	Area	ASB-0184	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/13/2010	Zone 5	Outside	Area	ASB-0197	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/13/2010	Zone 3	Outside	Area	ASB-0198	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/13/2010	Zone 1	Outside	Area	ASB-0199	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/13/2010	Zone 2, Containment 2	Inside	Pre-Abatement	ASB-Z2-C2-0200	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/13/2010	Zone 2, Containment 2	Inside	Pre-Abatement	ASB-Z2-C2-0201	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/14/2010	Zone 5	Outside	Area	ASB-0203	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/14/2010	Zone 3	Outside	Area	ASB-0204	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/14/2010	Zone 1	Outside	Area	ASB-0205	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/14/2010	Zone 2, Containment 3	Inside	Pre-Abatement	ASB-Z2-C3-0206	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/15/2010	Zone 5	Outside	Area	ASB-0216	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/15/2010	Zone 3	Outside	Area	ASB-0217	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/15/2010	Zone 1	Outside	Area	ASB-0218	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/16/2010	Zone 5	Outside	Area	ASB-0225	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/16/2010	Zone 3	Outside	Area	ASB-0226	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/16/2010	Zone 1	Outside	Area	ASB-0227	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/16/2010	Zone 2	Outside	Area	ASB-0228	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/20/2010	Zone 5	Outside	Area	ASB-0238	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2
9/20/2010	Zone 3	Outside	Area	ASB-0239	NIOSH 7400	Asbestos	0.001	fibers/cc	0.01 fibers/cc	2
9/20/2010	Zone 1	Outside	Area	ASB-0240	NIOSH 7400	Asbestos	< 0.001	fibers/cc	0.01 fibers/cc	2

Abbreviations/Acronyms:

cc = cubic centimeter

N/A = Not Applicable

Notes:1. Results in **bold** indicate values above the action level.

2. Action Level based on permissible exposure limit. Sample collected inside hangar.

Table 6

DRAFT

See Notes, Abbreviations and Acronyms at the end of the table.


Abbreviations/Acronyms:

cc = cubic centimeter

N/A = Not Applicable


Notes:

1. Results in **bold** indicate values above the action level.
 2. Action Level based on permissible exposure limit. Sample collected inside hangar.



LEGEND

	Hangar 1 building perimeter
	Fence
	F02 Fixed air monitoring location
	M01 Mobile air sample location



NOTE:

DRAFT

U.S. Department of the Navy

AMEC Earth & Environmental
9210 Sky Court, Suite 200
San Diego, California 92123

DWN BY:

PM

CHK'D BY:

DB

DATUM:

NAD83

PROJECTION:

CA SP III Ft.

SCALE:

PROJECT

CTO005 MOFFETT HANGARDATE:
JULY 2010CONTRACT NO:
815102.0005.0002

REV. NO.: A

1

TITLE

AIR MONITORING SAMPLE LOCATIONSFIGURE NO.
1