| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I8 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| I9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I12 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 45% accessible |
| I14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| J1 | 3.2 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 80% accessible |
| J2 | 3.2 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 80% accessible |
| J3 | 3.2 | uR/hr | Kitchen | Installed Dishwasher. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| J4 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| J9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J12 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 45% accessible |
| J14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |
| K9 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| K10 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| K11 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| K12 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| K13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| K14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Signoff Notes:**

**Senior Technician :** Ricky Laguna

**Signature :**

# Summary Report
## 1436 Chinook Court Unit G1

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 1:55 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.12 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**

**Senior Technician :** Phillip Perez

**Signature :**



**Signoff Notes:**

# Summary Report
## 1436 Chinook Court Unit G2

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 7/16/2014 1:54 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 293633 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.59 | uR/hr |
| **Standard Deviation:** | 0.07 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Tina Piquet

**Signature :**

**Senior Technician :** Daphne Degering

**Signature :**

**Signoff Notes:**

# Summary Report
## 1436 Chinook Court Unit G3

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 7/31/2014 3:42 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.2 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.46 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 15% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Senior Technician :** Efraim Ramirez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1436 Chinook Court Unit G4

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/1/2014 2:48 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.4 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.51 | uR/hr |
| **Standard Deviation:** | 0.17 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Signoff Notes:**

**Senior Technician :** Efraim Ramirez

**Signature :**

# Summary Report
## 1436 Chinook Court Unit G5

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/1/2014 2:44 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309099 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.20 | uR/hr |
| **Standard Deviation:** | 0.00 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.20 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. Scanned within unstable shelving unit in part of grid |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. Scanned within unstable shelving unit in part of grid |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Ricky Laguna

**Signature :**

**Signoff Notes:**

# Summary Report
## 1436 Chinook Court Unit G6

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 1:45 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309127 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.69 | uR/hr |
| **Standard Deviation:** | 0.17 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible. |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible. |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible. |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible. |

**CBI Supervisor :** Garrick Anderson

**Signature :**

**Senior Technician :** Joseph Norris

**Signature :**

**Signoff Notes:**

# Summary Report
## 1437 Chinook Court Unit A

### Unit Summary :

| | | | | |
|---|---|---|---|---|
| **Completion Date:** | 8/13/2014 11:06 AM | | | |
| **Instrument:** | 193-6 | | | |
| **Serial #:** | 309110 | | | |
| **Layout:** | Floor Plan 8 | | | |
| **Background Reading:** | 3.2 | uR/hr | | |
| **Dimensions (m):** | D | 12.3 | W | 10.1 |
| **Unit Furnished:** | Yes | | | |
| **Tenant Present:** | Yes | | | |
| **Unit Notes:** | | | | |

H7-H13, K1-K4 grids (less than 6") were surveyed with G7-G13, J1-J4. B5-B8, A5 and A8 grids are outside unit interior boundary.

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 122 | |
| **Average:** | 3.53 | uR/hr |
| **Standard Deviation:** | 0.16 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Kitchen | Installed Dishwasher. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| A3 | 3.6 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 80% accessible |
| A4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| A5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| A8 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| A9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| B1 | 3.2 | uR/hr | Kitchen | Installed Stove. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| B2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| B7 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| B8 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| B9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| C1 | 3.6 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D1 | 3.6 | uR/hr | Kitchen | Installed refrigerator. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| D4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| D5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D8 | 3.6 | uR/hr | Closet | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| D9 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| D10 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D11 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D12 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | 3.6 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | No | 30% accessible |
| E1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E8 | 3.6 | uR/hr | Hallway | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| E9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E10 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E11 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E12 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E13 | 3.6 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. surveyed in bathtub |
| F1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| F6 | 3.2 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | | uR/hr | | | No | 40% accessible. reading .6 meters from floor |
| F7 | 3.2 | uR/hr | Mech Room | Installed water heater. | 3.6 | uR/hr | Closet | | | uR/hr | | | No | 70% accessible. reading .6 meters from floor |
| F8 | 3.2 | uR/hr | Hallway | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | |
| F9 | 3.6 | uR/hr | Closet | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| F10 | 3.6 | uR/hr | Utility | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | |
| F11 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | moved dryer to survey grid |
| F12 | 3.6 | uR/hr | Utility | | 3.6 | uR/hr | Storage | | | uR/hr | | | No | moved washer to survey grid. |
| F13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| G1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G9 | 3.6 | uR/hr | Hallway | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| G10 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G11 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 3.6 | uR/hr | Storage | | 3.6 | uR/hr | Utility | | | uR/hr | | | No | |
| G13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| H1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 70% accessible |
| I1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| I6 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 70% accessible |
| J1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| J5 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| J6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |

**CBI Supervisor :** Carlos Bernal

**Signature :**

**Senior Technician :** Antonio Neotti

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/25/2014 12:35 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309099 |
| **Layout:** | Floor Plan 8B |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 12.41 W 10.03 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |
| **Unit Notes:** | |




## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 114 | |
| **Average:** | 3.30 | uR/hr |
| **Standard Deviation:** | 0.21 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Living Room | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 75% accessible |
| B1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| B6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| C1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| D1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D4 | 3.2 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| D5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D7 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D8 | 2.8 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| D10 | 3.2 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D11 | 3.2 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D12 | 3.2 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| E1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| E6 | 2.8 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | | uR/hr | | | No | 20% accessible, static taken 24 inches from floor surface |
| E7 | 2.8 | uR/hr | Mech Room | Installed water heater. | 3.2 | uR/hr | Closet | | | uR/hr | | | No | 20% accessible, static taken 24 inches from floor surface |
| E8 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| E9 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Utility | | 3.2 | uR/hr | Hallway | | No | |
| E10 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| E11 | 3.2 | uR/hr | Utility | | | uR/hr | Bathroom | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E12 | 3.6 | uR/hr | Storage | | | uR/hr | Bathroom | | | uR/hr | | | No | |
| E13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | 40% accessible |
| F1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Living Room | | No | |
| F6 | 2.8 | uR/hr | Mech Room | Installed furnace. | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | 20% accessible, static taken 24 inches from floor surface |
| F7 | 2.8 | uR/hr | Mech Room | Installed water heater. | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Closet | | No | 20% accessible, static taken 24 inches from floor surface |
| F8 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | No | |
| F9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| F10 | 3.6 | uR/hr | Bathroom | Survey performed within accessible base cabinet. | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| F11 | 3.6 | uR/hr | Bathroom | Survey performed within accessible base cabinet. | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| F12 | 3.2 | uR/hr | Utility | | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | |
| F13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | 40% accessible, survey taken in bathtub |
| G1 | 3.2 | uR/hr | Dining Room | Installed refrigerator. | 3.2 | uR/hr | Kitchen | Installed refrigerator. | | uR/hr | | | No | 40% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G2 | 3.2 | uR/hr | Dining Room | | 3.2 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G3 | 3.2 | uR/hr | Dining Room | | 3.2 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G4 | 3.2 | uR/hr | Dining Room | | 3.2 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G5 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | No | |
| G6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.2 | uR/hr | Closet | | 2.8 | uR/hr | Bedroom | | 3.2 | uR/hr | Hallway | | No | |
| G9 | 3.6 | uR/hr | Bathroom | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| G10 | 3.2 | uR/hr | Bathroom | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| G11 | 3.2 | uR/hr | Bathroom | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| G12 | 3.2 | uR/hr | Bathroom | | 3.2 | uR/hr | Bedroom | | 3.6 | uR/hr | Closet | | No | |
| G13 | 3.6 | uR/hr | Bathroom | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | 40% accessible, survey taken in bathtub |
| H1 | 3.2 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| H2 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H8 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| H9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H12 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H13 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | |
| I1 | 3.2 | uR/hr | Kitchen | Installed Stove. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| I2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I5 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| I6 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| I7 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| I8 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | 3.2 | uR/hr | Closet | | | uR/hr | | | No | 20% accessible |
| I9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I12 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| J1 | 3.2 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| J2 | 3.2 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | 75% accessible |
| J3 | 3.6 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| J4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| J5 | | uR/hr | Kitchen | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside floor plan |
| J9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| K1 | 3.2 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| K2 | 3.6 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| K3 | 3.6 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| K4 | 3.6 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| K5 | | uR/hr | Kitchen | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside floor plan |
| K9 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| K10 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| K11 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| K12 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | 3.2 | uR/hr | Closet | | | uR/hr | | | No | 10% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Ricky Luguna

**Signature :**

**Signoff Notes:**

# Summary Report
## 1437 Chinook Court Unit G1

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 12:53 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.06 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.20 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**



**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1437 Chinook Court Unit G2

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/1/2014 3:09 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.12 | uR/hr |
| **Standard Deviation:** | 0.16 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.20 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**

**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1437 Chinook Court Unit G3

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 7/9/2014 3:41 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309099 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 3.3 W 8.1 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.42 | uR/hr |
| **Standard Deviation:** | 0.22 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Ricky Laguna

**Signature :**

**Signoff Notes:**

# Summary Report
## 1437 Chinook Court Unit G4

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/8/2014 3:51 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309099 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.2 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.32 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Daniel Fielding

**Signature :**

**Signoff Notes:**

**Senior Technician :** Ricky Laguna

**Signature :**



# Summary Report
## 1437 Chinook Court Unit G5

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/4/2014 11:43 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 293633 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.54 | uR/hr |
| **Standard Deviation:** | 0.17 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Joyce McGee

**Signature :**

**Senior Technician :** Daphne Degering

**Signature :**

**Signoff Notes:**

# Summary Report
## 1437 Chinook Court Unit G6

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 7/9/2014 3:10 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309099 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.26 | uR/hr |
| **Standard Deviation:** | 0.14 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Ricky Laguna

**Signature :**

**Signoff Notes:**

# Summary Report
## 1438 Chinook Court Unit A

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 11:54 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Floor Plan 8 |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 10.1 W 12.4 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

Grids K1-K4, H7-H13 are less than 6" wide, area surveyed with adjacent grids. Grids A5, A8, B5-B8 and J5-J6 fall outside unit interior floor plan.

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 124 | |
| **Average:** | 3.37 | uR/hr |
| **Standard Deviation:** | 0.29 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 4.80 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Kitchen | Installed Dishwasher. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| A3 | 3.6 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| A4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| A5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| A8 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| A9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| B1 | 3.2 | uR/hr | Kitchen | Installed Stove. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| B2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| B7 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| B8 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| B9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| C1 | 3.2 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D1 | 3.2 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | 70% accessible, installed refrigerator moved for survey |
| D2 | 3.2 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D3 | 3.2 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D4 | 3.2 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D8 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| D9 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| D10 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D11 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D12 | 3.6 | uR/hr | Bedroom | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | ceramic shower floor in bathroom |
| D13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | 4.4 | uR/hr | Bathroom | | | uR/hr | | | No | 40% accessible, tile shower floor in bathroom |
| E1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E9 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E10 | 3.6 | uR/hr | Bathroom | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 80% accessible |
| E11 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E12 | 4.8 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | MCA file 20140813094242 Thorium and daughters NORM. Inspector 1000 #69550, ceramic shower floor in bathroom |
| E13 | 4.4 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible, ceramic shower floor in bathroom |
| F1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.2 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| F6 | 3.2 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | | uR/hr | | | No | static taken at 0.5 meters above ground floor |
| F7 | 2.8 | uR/hr | Closet | | 2.8 | uR/hr | Mech Room | Installed water heater. | | uR/hr | | | No | 70% accessible, static taken at 0.5 meters above ground floor |
| F8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| F9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Utility | Clothes dryer within grid. | No | 60% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| F10 | 3.2 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| F11 | 3.6 | uR/hr | Utility | Clothes dryer within grid. | | uR/hr | | | | uR/hr | | | No | 50% accessible, installed washer/dryer moved for survey |
| F12 | 3.6 | uR/hr | Storage | | 3.2 | uR/hr | Utility | Washing machine within grid. | | uR/hr | | | No | 80% accessible, washer in grid moved for survey |
| F13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| G1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| G10 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G11 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 3.6 | uR/hr | Storage | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| G13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| H1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 3.2 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| I1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.2 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| I5 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| I6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| J1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 3.6 | uR/hr | Living Room | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| J5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| J6 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Signoff Notes:**

**Senior Technician :** Efraim Ramirez

**Signature :**

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 7/11/2014 4:01 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309099 |
| **Layout:** | Floor Plan 8B |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 12.4 W 10.1 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |

**Unit Notes:**

K1 to K4 and K9 to K13 less than 6" wide, scanned with adjacent grids, column J and row 13.

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 150 | |
| **Average:** | 3.26 | uR/hr |
| **Standard Deviation:** | 0.18 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

**Grid Legend:**

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Living Room | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| B1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Living Room | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 80% accessible |
| B6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| C1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Living Room | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D4 | 3.2 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| D5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D7 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| D10 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| D11 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| D12 | 3.2 | uR/hr | Utility | | 3.2 | uR/hr | Storage | | | uR/hr | | | No | |
| D13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D14 | | uR/hr | | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |
| E1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.2 | uR/hr | Dining Room | | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | No | |
| E5 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| E6 | 2.8 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| E7 | 2.8 | uR/hr | Closet | | 2.8 | uR/hr | Mech Room | Installed water heater. | | uR/hr | | | No | 70% accessible |
| E8 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| E9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| E10 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| E11 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| E12 | 3.2 | uR/hr | Utility | | 3.6 | uR/hr | Storage | | | uR/hr | | | No | |
| E13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| E14 | | uR/hr | | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |
| F1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| F2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| F6 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | No | 80% accessible |
| F7 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Mech Room | Installed water heater. | No | 80% accessible |
| F8 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | No | |
| F9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Bathroom | | | uR/hr | | | No | |
| F10 | 3.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| F11 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| F12 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| F13 | 3.6 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible, surveyed in tub |
| F14 | | uR/hr | | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |
| G1 | 3.2 | uR/hr | Kitchen | | 2.8 | uR/hr | Dining Room | | | uR/hr | | | No | Moved refrigerator to survey. |
| G2 | 3.2 | uR/hr | Dining Room | | 3.2 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G3 | 3.2 | uR/hr | Dining Room | | 3.2 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G4 | 3.2 | uR/hr | Dining Room | | 3.2 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Hallway | | No | |
| G9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| G10 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Bathroom | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G11 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | |
| G12 | 3.2 | uR/hr | Bedroom | | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Closet | | No | |
| G13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | 40% accessible, surveyed in tub |
| G14 | | uR/hr | | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |
| H1 | 3.2 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| H2 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H8 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| H9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H12 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| H13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| H14 | | uR/hr | | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |
| I1 | 3.2 | uR/hr | Kitchen | Installed Stove. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| I2 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I6 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| I7 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| I8 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | 40% accessible |
| I9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I12 | 3.6 | uR/hr | Bedroom | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| I13 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| I14 | | uR/hr | | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |
| J1 | 3.2 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| J2 | 3.2 | uR/hr | Kitchen | Installed Dishwasher. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| J3 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 3.2 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| J5 | | uR/hr | Kitchen | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | grid outside floor plan |
| J9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J12 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| J13 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| J14 | | uR/hr | | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |
| K5 | | uR/hr | Kitchen | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | grid outside floor plan |
| K14 | | uR/hr | | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | outside of floor plan |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Ricky Laguna

**Signature :**

**Signoff Notes:**

# Summary Report
## 1438 Chinook Court Unit G1

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 12:48 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.50 | uR/hr |
| **Standard Deviation:** | 0.18 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Senior Technician :** Efraim Ramirez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1438 Chinook Court Unit G2

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/4/2014 2:57 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.08 | uR/hr |
| **Standard Deviation:** | 0.21 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**

**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1438 Chinook Court Unit G3

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/5/2014 3:19 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.49 | uR/hr |
| **Standard Deviation:** | 0.23 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 15% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| C1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Signoff Notes:**

**Senior Technician :** Efraim Ramirez

**Signature :**

# Summary Report
## 1438 Chinook Court Unit G4

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 7/9/2014 3:13 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.59 | uR/hr |
| **Standard Deviation:** | 0.12 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Senior Technician :** Efraim Ramirez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1438 Chinook Court Unit G5

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/6/2014 11:19 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.16 | uR/hr |
| **Standard Deviation:** | 0.13 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.20 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**

**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1438 Chinook Court Unit G6

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 7/14/2014 1:26 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 293633 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.76 | uR/hr |
| **Standard Deviation:** | 0.22 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Tina Piquet

**Signature :**

**Senior Technician :** Daphne Degering

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 11:14 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309127 |
| **Layout:** | Floor Plan 8 |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 10 W 12.4 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |

**Unit Notes:**

K1-K4, J5- J6, H7-H13, A5 and A8 grids are outside of floor plan. B5-B8 grids are less than 6" wide and were surveyed along with adjacent grids.

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 131 | |
| **Average:** | 3.68 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.40 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Kitchen | Installed Dishwasher. | | uR/hr | | | | uR/hr | | | No | 60% accessible. |
| A3 | 3.6 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| A5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| A8 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| A9 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A10 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A11 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A13 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible. |
| B1 | 3.6 | uR/hr | Kitchen | Installed Stove. | | uR/hr | | | | uR/hr | | | No | 20% accessible. |
| B2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B10 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B11 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B13 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible. |
| C1 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C11 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C13 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible. |
| D1 | 3.6 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D2 | 3.6 | uR/hr | Kitchen | | 3.6 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D3 | 3.6 | uR/hr | Kitchen | | 3.6 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D4 | 3.6 | uR/hr | Kitchen | | 3.6 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D8 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| D9 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| D10 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D11 | 4.0 | uR/hr | Bedroom | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D12 | 4.0 | uR/hr | Bedroom | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D13 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | 40% accessible. Bathroom reading taken inside bathtub |
| E1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E8 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E10 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E11 | 4.4 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E12 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E13 | 4.0 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible. Bathroom reading taken inside bathtub |
| F1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| F6 | 3.2 | uR/hr | Mech Room | Installed water heater. | | uR/hr | | | | uR/hr | | | No | 50% accessible. Reading taken 22" from floor. |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| F7 | 3.2 | uR/hr | Mech Room | Installed furnace. | 3.6 | uR/hr | Closet | | | uR/hr | | | No | 60% accessible. Reading taken 22" from floor. |
| F8 | 3.6 | uR/hr | Hallway | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | |
| F9 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| F10 | 3.6 | uR/hr | Utility | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | |
| F11 | 3.6 | uR/hr | Utility | Clothes dryer within grid. | | uR/hr | | | | uR/hr | | | No | 40% accessible. |
| F12 | 4.0 | uR/hr | Storage | | 3.6 | uR/hr | Utility | Washing machine within grid. | | uR/hr | | | No | 30% accessible. |
| F13 | 4.0 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible. |
| G1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G9 | 3.6 | uR/hr | Hallway | | 3.6 | uR/hr | Utility | | | uR/hr | | | No | |
| G10 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G11 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 3.6 | uR/hr | Storage | | 3.6 | uR/hr | Utility | | | uR/hr | | | No | |
| G13 | 4.0 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible. |
| H1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible. |
| H7 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| H8 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| H9 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| H10 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| H11 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| H12 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| H13 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| I1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| I6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| J1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| J6 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| K1 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| K2 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| K3 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |
| K4 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Grid outside of floor plan. |

**CBI Supervisor :** Garrick Anderson

**Signature :**

**Senior Technician :** Joseph Norris

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 11:28 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Floor Plan 8B |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 12.5 W 10.5 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

Grids in row 14, A5, J5 and K5 are outside of survey unit.

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 148 | |
| **Average:** | 2.91 | uR/hr |
| **Standard Deviation:** | 0.24 | uR/hr |
| **Minimum:** | 2.40 | uR/hr |
| **Maximum:** | 4.40 | uR/hr |
| **Median:** | 2.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Living Room | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| A5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| B1 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 2.8 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 80% accessible |
| B6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 70% accessible |
| C1 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 2.8 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 2.8 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D1 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D2 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D4 | 2.8 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D5 | 2.8 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 2.8 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D7 | 2.8 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D8 | 2.8 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D9 | 2.8 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D10 | 2.8 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D11 | 2.8 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D12 | 2.8 | uR/hr | Utility | Percentage of grid falls outside of unit. | 2.8 | uR/hr | Storage | | | uR/hr | | | No | 90% accessible |
| D13 | 3.2 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| E1 | 2.4 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 2.8 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 2.8 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 2.8 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 2.8 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E6 | 2.8 | uR/hr | Storage | Installed furnace. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| E7 | 2.8 | uR/hr | Storage | Installed water heater. | 2.8 | uR/hr | Closet | | | uR/hr | | | No | 60% accessible |
| E8 | 2.8 | uR/hr | Closet | | 2.8 | uR/hr | Hallway | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E9 | 2.8 | uR/hr | Hallway | | 2.8 | uR/hr | Closet | | | uR/hr | | | No | |
| E10 | 2.8 | uR/hr | Closet | Washing machine within grid. | 2.8 | uR/hr | Utility | | | uR/hr | | | No | 70% accessible |
| E11 | 2.8 | uR/hr | Utility | Clothes dryer within grid. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| E12 | 2.8 | uR/hr | Utility | | 3.2 | uR/hr | Storage | | | uR/hr | | | No | |
| E13 | 3.2 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| E14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| F1 | 2.4 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 2.8 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 2.8 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 2.8 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 2.8 | uR/hr | Bedroom | | 2.8 | uR/hr | Closet | | | uR/hr | | | No | |
| F6 | 2.8 | uR/hr | Bedroom | | 2.4 | uR/hr | Storage | | | uR/hr | | | No | static taken at 24" inside mech room (storage) |
| F7 | 2.8 | uR/hr | Bedroom | | 2.8 | uR/hr | Closet | | 2.4 | uR/hr | Storage | | No | static taken at 24" inside mech room (storage) |
| F8 | 2.8 | uR/hr | Bedroom | | 2.8 | uR/hr | Closet | | 2.8 | uR/hr | Hallway | | No | |
| F9 | 3.2 | uR/hr | Hallway | | 2.8 | uR/hr | Closet | | | uR/hr | | | No | |
| F10 | 2.8 | uR/hr | Bathroom | Survey performed within accessible base cabinet. | 2.4 | uR/hr | Closet | | 2.8 | uR/hr | Utility | | No | |
| F11 | 4.4 | uR/hr | Bathroom | | 2.8 | uR/hr | Utility | | | uR/hr | | | No | |
| F12 | 3.2 | uR/hr | Bathroom | | 2.8 | uR/hr | Utility | | 3.2 | uR/hr | Storage | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| F13 | 3.2 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | 3.2 | uR/hr | Storage | | | uR/hr | | | No | 50% accessible, static taken inside tub at 4" height |
| F14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| G1 | 2.8 | uR/hr | Dining Room | | 2.8 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G2 | 2.8 | uR/hr | Dining Room | | 2.8 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G3 | 2.8 | uR/hr | Dining Room | | 2.8 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G4 | 2.8 | uR/hr | Dining Room | | 2.8 | uR/hr | Kitchen | | | uR/hr | | | No | |
| G5 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 2.8 | uR/hr | Closet | | 2.8 | uR/hr | Hallway | | | uR/hr | | | No | |
| G9 | 2.8 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G10 | 2.8 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| G11 | 3.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 3.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| G13 | 3.2 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible, static taken inside tub at 4" height |
| G14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| H1 | 2.8 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | refrigerator moved for survey |
| H2 | 2.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H3 | 2.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 2.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H5 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H7 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H8 | 2.8 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| H9 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H10 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H12 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H13 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| H14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| I1 | 2.8 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| I2 | 2.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 2.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 2.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I5 | 2.8 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| I6 | 2.8 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| I7 | 2.8 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 60% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I8 | 2.8 | uR/hr | Closet | Percentage of grid falls outside of unit. | 2.8 | uR/hr | Bedroom | | | uR/hr | | | No | 60% accessible |
| I9 | 2.8 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I12 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I13 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| I14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| J1 | 2.8 | uR/hr | Kitchen | Installed Stove. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| J2 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J3 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 2.8 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| J5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| J9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J12 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J13 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| J14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K1 | 3.2 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| K2 | 3.2 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| K3 | 3.2 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible, survey inside installed cabinets, installed dishwasher |
| K4 | 3.2 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| K5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| K9 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| K10 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| K11 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| K12 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| K13 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| K14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

**CBI Supervisor :** Adam Hickok

**Signature :**



**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1439 Chinook Court Unit G1

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 1:54 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.49 | uR/hr |
| **Standard Deviation:** | 0.25 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | Grid partially contained within wall construction. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | Grid partially contained within wall construction. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible, grid partially contained within wall construction. |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Senior Technician :** Efraim Ramirez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1439 Chinook Court Unit G2

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/6/2014 3:57 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 293633 |
| **Layout:** | Garage |
| **Background Reading:** | 4.0 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.79 | uR/hr |
| **Standard Deviation:** | 0.20 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Tina Piquet

**Signature :**

**Senior Technician :** Daphne Degering

**Signature :**

**Signoff Notes:**

# Summary Report
## 1439 Chinook Court Unit G3

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/6/2014 3:13 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.26 | uR/hr |
| **Standard Deviation:** | 0.17 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**

**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1439 Chinook Court Unit G4

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/7/2014 3:33 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.57 | uR/hr |
| **Standard Deviation:** | 0.24 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Senior Technician :** Efraim Ramirez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1439 Chinook Court Unit G5

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/7/2014 3:21 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309127 |
| **Layout:** | Garage |
| **Background Reading:** | 4.0 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.73 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible. |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible. |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible. |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible. |
| D9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible. |

**CBI Supervisor :** Garrick Anderson

**Signature :**

**Senior Technician :** Patricia Lozano

**Signature :**

**Signoff Notes:**

# Summary Report
## 1439 Chinook Court Unit G6

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/13/2014 2:46 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.01 | uR/hr |
| **Standard Deviation:** | 0.20 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.20 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**

**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/19/2014 11:51 AM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 293633 | |
| **Layout:** | Floor Plan 8 | |
| **Background Reading:** | 3.6 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | Yes | |
| **Tenant Present:** | Yes | |
| **Unit Notes:** | | |

MCA measurement (file#20140619085655) NORM K-40. This measurement is applicable for all elevated kitchen, bathroom, laundry room, and brick walls measurements.

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 117 | |
| **Average:** | 4.03 | uR/hr |
| **Standard Deviation:** | 0.58 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 6.00 | uR/hr |
| **Median:** | 4.00 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| A2 | 4.0 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| A3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 4.0 | uR/hr | Kitchen | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| A9 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A10 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A11 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A13 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| B1 | 4.0 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| B2 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B6 | 4.0 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B7 | 4.0 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B8 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B10 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B13 | 4.4 | uR/hr | Closet | | 4.0 | uR/hr | Closet | | | uR/hr | | | No | Static reading was taken on the upper left corner of the grid close to the garage. Optional was taken in the center of the grid |
| C1 | 4.4 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| C2 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 4.0 | uR/hr | Bedroom | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| C9 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C10 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C11 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C12 | 4.4 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C13 | 4.0 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| D1 | 4.0 | uR/hr | Kitchen | Installed base cabinets. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| D4 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| D5 | 4.0 | uR/hr | Bedroom | Grid partially contained within wall construction. | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | 90% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D8 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| D9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D10 | 4.4 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D11 | 4.4 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D12 | 5.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D13 | 5.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| E1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.6 | uR/hr | Dining Room | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| E6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E8 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E10 | 4.4 | uR/hr | Bathroom | | 4.0 | uR/hr | Hallway | | | uR/hr | | | No | Optional reading taken on linoleum |
| E11 | 4.8 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E12 | 6.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | walk-in shower; elevated measurement due to tile. MCA measurement identified NORM K-40. |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E13 | 6.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | walk-in shower; elevated measurement due to tile. MCA measurement identified NORM K-40. |
| F1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.6 | uR/hr | Dining Room | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | |
| F6 | 3.6 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| F7 | 3.6 | uR/hr | Mech Room | Installed water heater. | 3.6 | uR/hr | Closet | | | uR/hr | | | No | Optional static reading was taken in the closet at 11½ inches; shelves are fixed to the wall. 40% accessible |
| F8 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| F9 | 4.0 | uR/hr | Closet | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| F10 | 4.4 | uR/hr | Utility | | 4.4 | uR/hr | Bathroom | | | uR/hr | | | No | |
| F11 | 5.6 | uR/hr | Utility | | 5.2 | uR/hr | Bathroom | | | uR/hr | | | No | static reading was taken near the toilet |
| F12 | 5.2 | uR/hr | Utility | | 6.0 | uR/hr | Bathroom | | | uR/hr | | | No | elevated measurement due to tile. MCA measurement identified NORM K-40. |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| F13 | 6.0 | uR/hr | Storage | | 6.0 | uR/hr | Bathroom | | | uR/hr | | | No | elevated measurement due to tile. MCA measurement identified NORM K-40. |
| G1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 3.6 | uR/hr | Hallway | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | |
| G7 | 3.6 | uR/hr | Hallway | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | utility closet is off the ground 21 inches |
| G8 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G9 | 4.4 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G10 | 4.8 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G11 | 5.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 5.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G13 | 3.6 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | |
| H1 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| H7 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| H8 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H9 | 4.0 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| H10 | 4.0 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| H11 | 4.0 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| H12 | 4.0 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| H13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 25% accessible |
| I1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| I6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| J1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J2 | 4.4 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J5 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 75% accessible |
| J6 | 3.6 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 75% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K1 | 4.4 | uR/hr | Living Room | Percentage of grid falls outside of unit. | 4.4 | uR/hr | Living Room | | | uR/hr | | | No | Static taken center line along wall adjacent to exterior wall 50% accessible. Optional static was taken in center of grid. |
| K2 | 5.2 | uR/hr | Living Room | Percentage of grid falls outside of unit. | 4.4 | uR/hr | Living Room | | | uR/hr | | | No | Static taken center line along wall adjacent to exterior wall 50% accessible. Optional static was taken in center of grid. |
| K3 | 5.2 | uR/hr | Living Room | Percentage of grid falls outside of unit. | 4.4 | uR/hr | Living Room | | | uR/hr | | | No | Static taken center line along wall adjacent to exterior wall. 50% accessible. Optional static was taken in center of grid. |
| K4 | 5.2 | uR/hr | Living Room | Percentage of grid falls outside of unit. | 4.4 | uR/hr | Living Room | | | uR/hr | | | No | Static taken center line along wall adjacent to exterior wall. 50% accessible. Optional static was taken in center of grid. |

## Secondary Readings : E12

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|

| Secondary Type | Notes |
|---|---|
| Static Reading - 12 inch height, Center | N/A |

**CBI Supervisor :** Tina Piquet

**Signature :**

**Senior Technician :** Daphne Degering

**Signature :**



**Signoff Notes:**

# Summary Report
## 1440 Chinook Court Unit F

### Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/19/2014 4:07 PM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309110 | |
| **Layout:** | Floor Plan 8B | |
| **Background Reading:** | 3.6 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 114 | |
| **Average:** | 4.07 | uR/hr |
| **Standard Deviation:** | 0.46 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 5.60 | uR/hr |
| **Median:** | 4.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| A2 | 4.4 | uR/hr | No | | Living Room | | uR/hr | |
| A3 | 4.4 | uR/hr | No | | Living Room | | uR/hr | |
| A4 | 4.4 | uR/hr | No | | Living Room | | uR/hr | |
| B1 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| B2 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| B3 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| B4 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| B5 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| B6 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| C1 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| C2 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| C3 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| C4 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| C5 | 4.0 | uR/hr | No | | Hallway | | uR/hr | |
| C6 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| D1 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| D2 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| D3 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| D4 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| D5 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| D6 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| D7 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| D8 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| D9 | 3.6 | uR/hr | No | 2nd static reading on ceramic tile | Hallway | 4.0 | uR/hr | Utility |
| D10 | 4.0 | uR/hr | No | static reading on ceramic tile | Utility | | uR/hr | |
| D11 | 4.4 | uR/hr | No | static reading on ceramic tile | Utility | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D12 | 4.0 | uR/hr | No | static reading on ceramic tile | Utility | 4.4 | uR/hr | Storage |
| D13 | 4.4 | uR/hr | No | static reading on ceramic tile | Storage | | uR/hr | |
| E1 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E2 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| E3 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E4 | 3.6 | uR/hr | No | survey performed on non-movable bookcase (bolted to wall) 18" by 5ft at 3" above ground | Dining Room | | uR/hr | |
| E5 | 3.6 | uR/hr | No | | Hallway | 3.2 | uR/hr | Closet |
| E6 | 3.6 | uR/hr | No | | Hallway | 3.6 | uR/hr | Closet |
| E7 | 3.2 | uR/hr | No | | Storage | 3.6 | uR/hr | Hallway |
| E8 | 3.6 | uR/hr | No | split grid between hallway and closet | Closet | 3.6 | uR/hr | Hallway |
| E9 | 3.6 | uR/hr | No | 2nd static reading on ceramic tile | Hallway | 3.6 | uR/hr | Closet |
| E10 | 4.0 | uR/hr | No | static reading on ceramic tile | Closet | | uR/hr | |
| E11 | 4.0 | uR/hr | No | static reading on ceramic tile. 20% of grid surveyed | Utility | | uR/hr | |
| E12 | 4.0 | uR/hr | No | static reading on ceramic tile. 40% of grid surveyed. | Utility | 4.8 | uR/hr | Storage |
| E13 | 4.8 | uR/hr | No | Gamma Spec Canberra inspector 1000 s/n 13000529 K-40 NORM 1.135 Mci, file name 20140619095639 | Storage | | uR/hr | |
| F1 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F2 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| F3 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F4 | 4.0 | uR/hr | No | survey performed on non-movable bookcase (bolted to wall) 18" by 5ft at 3" above ground | Dining Room | | uR/hr | |
| F5 | 3.6 | uR/hr | No | | Bedroom | 3.6 | uR/hr | Closet |
| F6 | 3.6 | uR/hr | No | | Bedroom | 3.6 | uR/hr | Closet |
| F7 | 3.6 | uR/hr | No | | Bedroom | 3.2 | uR/hr | Storage |
| F8 | 3.6 | uR/hr | No | split grid between bedroom, hallway, and closet | Bedroom | 3.6 | uR/hr | Hallway |
| F9 | 4.0 | uR/hr | No | | Hallway | 4.0 | uR/hr | Closet |
| F10 | 4.4 | uR/hr | No | | Bathroom | 4.0 | uR/hr | Closet |
| F11 | 4.8 | uR/hr | No | | Bathroom | | uR/hr | |
| F12 | 5.2 | uR/hr | No | | Bathroom | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| F13 | 5.6 | uR/hr | No | | Bathroom | | uR/hr | |
| G1 | 4.0 | uR/hr | No | split grid between kitchen and dining room | Kitchen | 4.0 | uR/hr | Dining Room |
| G2 | 4.0 | uR/hr | No | split grid between kitchen and dining room | Kitchen | 4.0 | uR/hr | Dining Room |
| G3 | 4.4 | uR/hr | No | split grid between kitchen and dining room | Kitchen | 4.0 | uR/hr | Dining Room |
| G4 | 4.4 | uR/hr | No | survey performed on non-movable bookcase (bolted to wall) 18" by 5ft at 3" above ground | Kitchen | 3.6 | uR/hr | Dining Room |
| G5 | 4.0 | uR/hr | No | partial grid partially contained within wall construction | Bedroom | | uR/hr | |
| G6 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| G7 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| G8 | 3.6 | uR/hr | No | split grid between hallway, bedroom, and bedroom closet | Hallway | 4.0 | uR/hr | Bedroom |
| G9 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| G10 | 4.4 | uR/hr | No | Grid G10 is located inside bathroom, wall separating bathroom and bedroom is actually located approximately 1meter inside bedroom due to unit renovation. | Bathroom | 4.0 | uR/hr | Hallway |
| G11 | 4.8 | uR/hr | No | Grid G11 is located inside bathroom, wall separating bathroom and bedroom is actually located approximately 1meter inside bedroom due to unit renovation. | Bathroom | | uR/hr | |
| G12 | 5.2 | uR/hr | No | Grid G12 is located inside bathroom, wall separating bathroom and bedroom is actually located approximately 1meter inside bedroom due to unit renovation. | Bathroom | | uR/hr | |
| G13 | 5.6 | uR/hr | No | grid G13 is located inside bathroom, wall separating bathroom and bedroom is actually located approximately 1meter inside bedroom due to unit renovation. | Bathroom | | uR/hr | |
| H1 | 4.4 | uR/hr | No | partial grid-installed base cabinets | Kitchen | | uR/hr | |
| H2 | 4.4 | uR/hr | No | | Kitchen | | uR/hr | |
| H3 | 4.4 | uR/hr | No | | Kitchen | | uR/hr | |
| H4 | 4.4 | uR/hr | No | | Kitchen | | uR/hr | |
| H5 | 4.0 | uR/hr | No | partial grid partially contained within wall construction | Bedroom | | uR/hr | |
| H6 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| H7 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| H8 | 4.0 | uR/hr | No | split grid between bedroom and closet | Bedroom | 3.6 | uR/hr | Closet |
| H9 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| H10 | 4.0 | uR/hr | No | grid H10 is located inside bathroom, wall separating bathroom and bedroom is actually located approximately 1meter inside bedroom due to unit renovation. | Bathroom | 3.6 | uR/hr | Hallway |
| H11 | 4.4 | uR/hr | No | grid H 11 is located inside bathroom, wall separating bathroom and bedroom is actually located approximately 1meter inside bedroom due to unit renovation. | Bathroom | | uR/hr | |
| H12 | 5.6 | uR/hr | No | grid H12 is located inside bathroom, wall separating bathroom and bedroom is actually located approximately 1meter inside bedroom due to unit renovation. | Bathroom | | uR/hr | |
| H13 | 5.6 | uR/hr | No | grid located in bath, wall separating bath/bedroom is located approx 1m inside bedroom due to renovation. Gamma Spec Canberra inspetor 1000 s/n 13000529 K-40 NORM 1.626 Mci, file name 20140619094023 | Bathroom | | uR/hr | |
| I1 | 4.4 | uR/hr | No | partial grid-installed base cabinets | Kitchen | | uR/hr | |
| I2 | 4.4 | uR/hr | No | | Kitchen | | uR/hr | |
| I3 | 4.4 | uR/hr | No | | Kitchen | | uR/hr | |
| I4 | 4.4 | uR/hr | No | | Kitchen | | uR/hr | |
| I5 | 4.0 | uR/hr | No | partial grid partially contained within wall construction | Bedroom | | uR/hr | |
| I6 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| I7 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| I8 | 4.0 | uR/hr | No | partial grid partially contained within wall construction. split grid between closet and bedroom | Bedroom | 4.0 | uR/hr | Closet |
| I9 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| I10 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| I11 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| I12 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| I13 | 4.0 | uR/hr | No | | Closet | | uR/hr | |
| J1 | 4.4 | uR/hr | No | partial grid-installed base cabinets | Kitchen | | uR/hr | |
| J2 | 4.4 | uR/hr | No | partial grid-installed base cabinets | Kitchen | | uR/hr | |
| J3 | 4.4 | uR/hr | No | partial grid-installed dish washer | Kitchen | | uR/hr | |
| J4 | 4.4 | uR/hr | No | | Kitchen | | uR/hr | |
| J5 | | uR/hr | No | N/A-Grid is outside unit interior boundary 3.65 meters by 3.80 meters of kitchen | Kitchen | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| J9 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| J10 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| J11 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| J12 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| J13 | 4.0 | uR/hr | No | | Closet | | uR/hr | |
| K1 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |
| K2 | 4.0 | uR/hr | No | | Kitchen | | uR/hr | |
| K3 | 4.4 | uR/hr | No | partial grid-installed dishwasher | Kitchen | | uR/hr | |
| K4 | 4.4 | uR/hr | No | partial grid partially contained within wall construction | Kitchen | | uR/hr | |
| K5 | | uR/hr | No | N/A-Grid is outside unit interior boundary 3.65 meters by 3.80 meters of kitchen | Kitchen | | uR/hr | |
| K9 | 4.0 | uR/hr | No | partial grid partially contained within wall construction | Bedroom | | uR/hr | |
| K10 | 4.0 | uR/hr | No | partial grid partially contained within wall construction | Bedroom | | uR/hr | |
| K11 | 4.0 | uR/hr | No | partial grid partially contained within wall construction | Bedroom | | uR/hr | |
| K12 | 4.0 | uR/hr | No | partial grid partially contained within wall construction | Bedroom | | uR/hr | |
| K13 | 4.0 | uR/hr | No | partial grid partially contained within wall construction | Closet | | uR/hr | |

**CBI Supervisor :** Carlos Bernal

**Signature :**

**Senior Technician :** Antonio Neotti

**Signature :**

**Signoff Notes:**

# Summary Report
## 1440 Chinook Court Unit G1

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/27/2014 11:03 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 293633 |
| **Layout:** | Garage |
| **Background Reading:** | 4.0 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.84 | uR/hr |
| **Standard Deviation:** | 0.26 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.40 | uR/hr |
| **Median:** | 4.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 4.4 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 4.4 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 4.4 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Tina Piquet

**Signature :**

**Signoff Notes:**

**Senior Technician :** Daphne Degering

**Signature :**

# Summary Report
## 1440 Chinook Court Unit G2

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/27/2014 12:36 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 293633 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.72 | uR/hr |
| **Standard Deviation:** | 0.21 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.40 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.4 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Tina Piquet

**Signature :**

**Senior Technician :** Daphne Degering

**Signature :**



**Signoff Notes:**

# Summary Report
## 1440 Chinook Court Unit G3

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/27/2014 2:19 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309110 |
| **Layout:** | Garage |
| **Background Reading:** | 4.0 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.91 | uR/hr |
| **Standard Deviation:** | 0.17 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 4.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible, static reading at 9" from the floor due to non removable shelf |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Carlos Bernal

**Signature :**

**Signoff Notes:**

**Senior Technician :** Antonio Neotti

**Signature :**

# Summary Report
## 1440 Chinook Court Unit G4

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/27/2014 11:16 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309127 |
| **Layout:** | Garage |
| **Background Reading:** | 4.0 uR/hr |
| **Dimensions (m):** | D 8.2 W 3.2 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.94 | uR/hr |
| **Standard Deviation:** | 0.17 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.40 | uR/hr |
| **Median:** | 4.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D2 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D3 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D4 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D5 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D6 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D7 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D9 | 4.4 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Garrick Anderson

**Signature :**

**Senior Technician :** Patricia Lozano

**Signature :**

**Signoff Notes:**

# Summary Report
## 1440 Chinook Court Unit G5

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/27/2014 12:13 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309127 |
| **Layout:** | Garage |
| **Background Reading:** | 4.0 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.2 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.74 | uR/hr |
| **Standard Deviation:** | 0.22 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.40 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D6 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% acccessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D8 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D9 | 4.4 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Garrick Anderson

**Signature :**

**Senior Technician :** Patricia Lozano

**Signature :**

**Signoff Notes:**

# Summary Report
## 1440 Chinook Court Unit G6

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/27/2014 10:54 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309127 |
| **Layout:** | Garage |
| **Background Reading:** | 4.0 uR/hr |
| **Dimensions (m):** | D 8.2 W 3.2 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.84 | uR/hr |
| **Standard Deviation:** | 0.28 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.40 | uR/hr |
| **Median:** | 4.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 4.4 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D6 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D7 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D8 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D9 | 4.4 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Garrick Anderson

**Signature :**

**Senior Technician :** Patricia Lozano

**Signature :**

**Signoff Notes:**

# Summary Report
## 1441 Chinook Court Unit A

### Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/16/2014 11:50 AM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 293633 | |
| **Layout:** | Floor Plan 8 | |
| **Background Reading:** | 3.6 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 121 | |
| **Average:** | 3.80 | uR/hr |
| **Standard Deviation:** | 0.34 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 5.60 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 4.4 | uR/hr | No | Partial grid- installed base cabinets. Elevated measurements due to NORM tile materials | Kitchen | | uR/hr | |
| A2 | 4.4 | uR/hr | No | Partial grid- installed base cabinets and dishwasher . Elevated measurements due to NORM tile materials | Kitchen | | uR/hr | |
| A3 | 4.4 | uR/hr | No | Partial grid- installed base cabinets. Elevated measurements due to NORM tile materials | Kitchen | | uR/hr | |
| A4 | 4.4 | uR/hr | No | Partial grid- actual dimensions 3 and 3/4 of kitchen are smaller than map. Elevated measurements due to NORM tile materials | Kitchen | | uR/hr | |
| A5 | | uR/hr | No | N/A -Grids outside unit interior boundary 3 3/4 meters depth. | Kitchen | | uR/hr | |
| A9 | 4.0 | uR/hr | No | Partial grid- 20% surveyed. Optional taken in bedroom 80% Surveyed. | Bedroom | 3.6 | uR/hr | Bedroom |
| A10 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| A11 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| A12 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| A13 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| A14 | 4.0 | uR/hr | No | Partial grid- 30% surveyed map does not match template. | Closet | | uR/hr | |
| B1 | 4.4 | uR/hr | No | Partial grid- installed base cabinets and stove. Elevated measurements due to NORM tile materials | Kitchen | | uR/hr | |
| B2 | 4.4 | uR/hr | No | Elevated measurements due to NORM tile materials. | Kitchen | | uR/hr | |
| B3 | 4.4 | uR/hr | No | Elevated measurements due to NORM tile materials | Kitchen | | uR/hr | |
| B4 | 4.0 | uR/hr | No | Partial grid- actual dimensions are 3 and 3/4 meters. Elevated measurements due to NORM tile materials. | Kitchen | | uR/hr | |
| B5 | | uR/hr | No | N/A -Grids outside unit interior boundary 3 3/4 meters depth. | Bedroom | | uR/hr | |
| B6 | | uR/hr | No | N/A -Grids outside unit interior boundary. | Bedroom | | uR/hr | |
| B7 | | uR/hr | No | N/A -Grids outside unit interior boundary. | Bedroom | | uR/hr | |
| B8 | 4.0 | uR/hr | No | Partial grid- 25% Surveyed. N/A -Grid outside unit interior boundary. | Closet | | uR/hr | |
| B9 | 4.0 | uR/hr | No | Partial grid- 20% surveyed. Optional taken in closet 80% Surveyed. | Bedroom | 4.0 | uR/hr | Closet |
| B10 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| B11 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| B12 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| B13 | 4.0 | uR/hr | No | | Closet | | uR/hr | |
| B14 | 4.0 | uR/hr | No | Partial grid- 30% surveyed map does not match template. | Closet | | uR/hr | |
| C1 | 4.4 | uR/hr | No | Partial grid- installed base cabinets. Elevated measurements due to NORM tile materials | Kitchen | | uR/hr | |
| C2 | 4.4 | uR/hr | No | Elevated measurements due to NORM tile materials. | Kitchen | | uR/hr | |
| C3 | 4.0 | uR/hr | No | Elevated measurements due to NORM tile materials. | Kitchen | | uR/hr | |
| C4 | 4.4 | uR/hr | No | Partial grid- actual dimensions are 3 3/4 meters of map template. Elevated measurements due to NORM tile material. | Kitchen | | uR/hr | |
| C5 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| C6 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| C7 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| C8 | 3.6 | uR/hr | No | | Closet | | uR/hr | |
| C9 | 3.6 | uR/hr | No | Partial grid- 20% surveyed. Optional taken inside closet. Map template does not match actual dimensions. The closet falls between C9 and C8. | Bedroom | 3.6 | uR/hr | Closet |
| C10 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| C11 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| C12 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| C13 | 4.0 | uR/hr | No | | Closet | | uR/hr | |
| C14 | 4.0 | uR/hr | No | Partial grid- 30% surveyed map does not match template. | Closet | | uR/hr | |
| D1 | 4.0 | uR/hr | No | Partial grid- installed fridge. Elevated measurements due to NORM tile materials. Optional in dining room 30% Linoleum. | Kitchen | 3.6 | uR/hr | Dining Room |
| D2 | 4.0 | uR/hr | No | Elevated measurements due to NORM tile materials. Dining room optional 30% grid linoleum tile. | Kitchen | 4.0 | uR/hr | Dining Room |
| D3 | 4.4 | uR/hr | No | Elevated measurements due to NORM tile materials. Optional 30% linoleum tile in dining room. | Kitchen | 4.0 | uR/hr | Dining Room |
| D4 | 4.0 | uR/hr | No | Elevated measurements due to NORM tile materials. Optional dining room 30% linoleum. | Kitchen | 3.6 | uR/hr | Dining Room |
| D5 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| D6 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D7 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| D8 | 3.6 | uR/hr | No | | Closet | | uR/hr | |
| D9 | 3.6 | uR/hr | No | Partial grid- 25% surveyed. Optional taken inside closet. Map template does not match actual dimensions. The closet falls between D9 and D8. | Bedroom | 3.6 | uR/hr | Closet |
| D10 | 3.6 | uR/hr | No | Partial grid- Taken in bathroom optional taken in bedroom. | Bathroom | | uR/hr | Bedroom |
| D11 | 3.6 | uR/hr | No | Partial grid - taken in bathroom optional taken in bedroom. | Bathroom | | uR/hr | Bedroom |
| D12 | 3.6 | uR/hr | No | Partial grid- optional taken in bathtub. | Bathroom | 4.0 | uR/hr | Bathroom |
| D13 | 4.0 | uR/hr | No | Partial grid- bathtub 15% Surveyed. Optional 15% surveyed in closet. | Bathroom | 4.0 | uR/hr | Closet |
| D14 | 4.0 | uR/hr | No | Partial grid- 30% surveyed map does not match template. | Closet | | uR/hr | |
| E1 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E2 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E3 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E4 | 3.6 | uR/hr | No | Partial grid- Optional taken in closet 25%. | Dining Room | | uR/hr | |
| E5 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| E6 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| E7 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| E8 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| E9 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| E10 | 3.6 | uR/hr | No | Partial grid- installed base cabinets in bathroom. 50% Surveyed. | Bathroom | | uR/hr | |
| E11 | 5.6 | uR/hr | No | Partial grid- Installed base cabinet and toilet bowl. 50% surveyed. Elevated measurements due to NORM in toilet bowl materials. Static reading taken near base of toilet. | Bathroom | | uR/hr | |
| E12 | 4.0 | uR/hr | No | | Bathroom | | uR/hr | |
| E13 | 3.6 | uR/hr | No | Partial grid-Static taken inside tub. 30% Surveyed. | Bathroom | | uR/hr | |
| F1 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F2 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F3 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F4 | 3.6 | uR/hr | No | Partial grid- Optional taken in closet 10% | Dining Room | 3.2 | uR/hr | Closet |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| F5 | 3.2 | uR/hr | No | | Closet | | uR/hr | |
| F6 | | uR/hr | No | N/A- inaccessible due to raised furnace. | Storage | | uR/hr | |
| F7 | | uR/hr | No | N/A- inaccessible due to raised furnace. Optional taken in closet at 10 1/2 inches. Shelf fixed in place. | Storage | 3.6 | uR/hr | Closet |
| F8 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| F9 | 3.6 | uR/hr | No | | Closet | | uR/hr | |
| F10 | 3.6 | uR/hr | No | Partial grid- Washing machine within grid. Optional taken in closet. | Utility | 3.6 | uR/hr | Closet |
| F11 | 3.6 | uR/hr | No | Partial grid-Clothes dryer within grid. | Utility | | uR/hr | |
| F12 | 4.0 | uR/hr | No | The optional reading is partial grid installed clothes dryer. | Storage | 3.6 | uR/hr | Utility |
| F13 | 4.0 | uR/hr | No | Partial grid- N/A -Grid outside unit interior boundary 35%. Surveyed 65%. | Storage | | uR/hr | |
| G1 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| G2 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| G3 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| G4 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| G5 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| G6 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| G7 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| G8 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| G9 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| G10 | 3.6 | uR/hr | No | | Utility | | uR/hr | |
| G11 | 3.6 | uR/hr | No | | Utility | | uR/hr | |
| G12 | 3.6 | uR/hr | No | | Storage | | uR/hr | |
| G13 | 4.0 | uR/hr | No | Partial grid- N/A -Grid outside unit interior boundary 35%. Surveyed 65%. | Storage | | uR/hr | |
| H1 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| H2 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| H3 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| H4 | 3.6 | uR/hr | No | Optional taken in hallway. | Living Room | 3.6 | uR/hr | Hallway |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| H5 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| H6 | 3.6 | uR/hr | No | Partial grid- N/A -Grid outside unit interior boundary 50% | Hallway | | uR/hr | |
| H7 | | uR/hr | No | N/A -Grids outside unit interior boundary 1 meter wide. | Hallway | | uR/hr | |
| H8 | | uR/hr | No | N/A -Grids outside unit interior boundary 1 meter wide | Hallway | | uR/hr | |
| H9 | | uR/hr | No | N/A -Grids outside unit interior boundary 1 meter wide | Hallway | | uR/hr | |
| H10 | | uR/hr | No | N/A -Grids outside unit interior boundary 1 meter wide | Hallway | | uR/hr | |
| H11 | | uR/hr | No | N/A -Grids outside unit interior boundary 1 meter wide | Utility | | uR/hr | |
| H12 | | uR/hr | No | N/A -Grids outside unit interior boundary 1 meter wide | Utility | | uR/hr | |
| H13 | | uR/hr | No | N/A -Grids outside unit interior boundary 1 meter wide | Storage | | uR/hr | |
| I1 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| I2 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| I3 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| I4 | 3.6 | uR/hr | No | Optional taken in closet entrance way. | Living Room | 3.6 | uR/hr | Hallway |
| I5 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| I6 | 3.6 | uR/hr | No | Partial grid- N/A -Grid outside unit interior boundary 50%. | Hallway | | uR/hr | |
| J1 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| J2 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| J3 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| J4 | 4.0 | uR/hr | No | Partial grid 40% Grid outside unit interior boundary 60% surveyed. | Living Room | | uR/hr | |
| J5 | 3.6 | uR/hr | No | Partial grid- 65% surveyed. N/A -Grid outside unit interior boundary 35%. | Hallway | | uR/hr | |
| J6 | 3.6 | uR/hr | No | Partial grid- 65% surveyed. N/A -Grid outside unit interior boundary 35%. | Hallway | | uR/hr | |
| K1 | | uR/hr | No | N/A -Grids outside unit interior boundary 10 meter depth. | Living Room | | uR/hr | |
| K2 | | uR/hr | No | N/A -Grids outside unit interior boundary 10 meter depth. | Living Room | | uR/hr | |
| K3 | | uR/hr | No | N/A -Grids outside unit interior boundary 10 meter depth. | Living Room | | uR/hr | |
| K4 | | uR/hr | No | N/A -Grids outside unit interior boundary 10 meter depth. | Living Room | | uR/hr | |

## Secondary Readings : E11

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|

| Secondary Type | Notes |
|---|---|
| Static Reading - 12 inch height, Center | N/A Elevated measurements due to NORM in toilet bowl materials. |

**CBI Supervisor :** Tina Piquet

**Signature :**

**Senior Technician :** Daphne Degering

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/16/2014 1:02 PM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309099 | |
| **Layout:** | Floor Plan 8B | |
| **Background Reading:** | 3.2 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |




## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 112 | |
| **Average:** | 3.73 | uR/hr |
| **Standard Deviation:** | 0.64 | uR/hr |
| **Minimum:** | 3.00 | uR/hr |
| **Maximum:** | 5.60 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| C1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D4 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D7 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D9 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D10 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| D11 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D12 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| D13 | 4.0 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | |
| E1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.2 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| E6 | 3.5 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | |
| E7 | 3.2 | uR/hr | Hallway | | | uR/hr | Closet | | | uR/hr | | | No | Partial grid-furnace 75% within grid |
| E8 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| E9 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E10 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | Partial grid-dryer 75% within grid |
| E11 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | Partial grid-washer 75% within grid |
| E12 | 4.0 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| E13 | 4.4 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | |
| F1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | Partial grid-wall construction |
| F6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Partial grid furnace 50% within grid |
| F7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Partial grid-furnace 50% within grid |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| F8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| F9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| F10 | 4.0 | uR/hr | Bathroom | | | uR/hr | Hallway | | | uR/hr | | | No | |
| F11 | 5.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in wall and floor tiles. MCA measurement indicates K-40. |
| F12 | 5.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to norm in wall and floor tiles. MCA measurement indicates K-40. |
| F13 | 5.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to norm in wall and floor tiles. MCA measurement indicates K-40. |
| G1 | 3.2 | uR/hr | Dining Room | | 4.0 | uR/hr | Kitchen | | | uR/hr | | | No | Partial grid-installed refridgerater |
| G2 | 3.6 | uR/hr | Dining Room | | 4.0 | uR/hr | Kitchen | | | uR/hr | | | No | Partial grid-wall construction |
| G3 | 3.6 | uR/hr | Dining Room | | 4.0 | uR/hr | Kitchen | | | uR/hr | | | No | Partial grid wall construction |
| G4 | 3.6 | uR/hr | Dining Room | | 4.0 | uR/hr | Kitchen | | | uR/hr | | | No | Partial grid-wall contruction |
| G5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.6 | uR/hr | Hallway | | 3.8 | uR/hr | Bedroom | | 3.6 | uR/hr | Bedroom | | No | |
| G9 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G10 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G11 | 4.4 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 4.4 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| G13 | 5.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to norm in wall and floor tiles. MCA measurement indicates K-40. |
| H1 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H2 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 4.0 | uR/hr | Kitchen | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| H5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H8 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| H9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H10 | 3.6 | uR/hr | Bathroom | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| H11 | 4.0 | uR/hr | Bathroom | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| H12 | 4.8 | uR/hr | Bathroom | | 4.0 | uR/hr | Bedroom | | | uR/hr | | | No | |
| H13 | 4.4 | uR/hr | Closet | | 5.6 | uR/hr | Bathroom | | | uR/hr | | | No | Elevated measurements due to norm in wall and floor tiles. MCA measurement indicates K-40. |
| I1 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Partial grid-installed stove |
| I2 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 4.0 | uR/hr | Kitchen | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| I5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I8 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| I9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I13 | 4.0 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| J1 | 5.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to norm in 12x12 inch floor tiles. MCA measurement indicates K-40. |
| J2 | 5.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to norm in 12x12 inch floor tiles. MCA measurement indicates K-40. |
| J3 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J13 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| K1 | 5.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to norm in 12x12 inch floor tiles. MCA measurement indicates K-40. |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K2 | 5.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to norm in 12x12 inch floor tiles. MCA measurement indicates K-40. |
| K3 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| K4 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| K9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| K10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| K11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| K12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| K13 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |

## Secondary Readings : K1

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|
| Static Reading - On Contact, Center | 193-6 | 309099 | 5.6 | uR/hr | | |
| Inspector 1000 Spectrum | Inspector 1000 Spectrum | 13000529 | | | | Radium |

| Secondary Type | Notes |
|---|---|
| Inspector 1000 Spectrum | 20140616101054 |

## Secondary Readings : J2

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|
| Static Reading - On Contact, Center | 193-6 | 309099 | 5.6 | uR/hr | | |
| Inspector 1000 Spectrum | Inspector 1000 Spectrum | 13000529 | | | | Radium |

| Secondary Type | Notes |
|---|---|
| Inspector 1000 Spectrum | 20140616101054 |

## Secondary Readings : F11

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|
| Static Reading - On Contact, Center | 193-6 | 309099 | 5.6 | uR/hr | | |

| Secondary Type | Notes |
|---|---|

## Secondary Readings : H13

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|
| Static Reading - On Contact, Center | 193-6 | 309099 | 5.2 | uR/hr | | |

| Secondary Type | Notes |
|---|---|

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Mark Cafouras

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/16/2014 12:40 PM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 293633 | |
| **Layout:** | Garage | |
| **Background Reading:** | 4.0 | uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.74 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 3.6 | uR/hr | No | Static was taken along the center line against the wall adjacent to the unit 1441 B garage. The optional was taken in the middle of the grid. | Garage | 3.6 | uR/hr | Garage |
| A7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A9 | | uR/hr | No | N/A- Grids are outside unit interior boundary. Actual depth is 8 meters. | Garage | | uR/hr | |
| B1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B9 | | uR/hr | No | N/A- Grids are outside unit interior boundary. Actual depth is 8 meters. | Garage | | uR/hr | |
| C1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 4.0 | uR/hr | No | | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| C9 | | uR/hr | No | N/A- Grids are outside unit interior boundary. Actual depth is 8 meters. | Garage | | uR/hr | |
| D1 | 3.6 | uR/hr | No | Partial grid- 40% surveyed. N/A 60% outside of unit interior boundary. | Garage | | uR/hr | |
| D2 | 3.6 | uR/hr | No | Partial grid- 40% surveyed. N/A 60% outside of unit interior boundary. | Garage | | uR/hr | |
| D3 | 4.0 | uR/hr | No | Partial grid- 40% surveyed. N/A 60% outside of unit interior boundary. | Garage | | uR/hr | |
| D4 | 4.0 | uR/hr | No | Partial grid- 40% surveyed. N/A 60% outside of unit interior boundary. | Garage | | uR/hr | |
| D5 | 3.6 | uR/hr | No | Partial grid- 40% surveyed. N/A 60% outside of unit interior boundary. | Garage | | uR/hr | |
| D6 | 4.0 | uR/hr | No | Partial grid- 40% surveyed. N/A 60% outside of unit interior boundary. | Garage | | uR/hr | |
| D7 | 4.0 | uR/hr | No | Partial grid- 40% surveyed. N/A 60% outside of unit interior boundary Static was taken adjacent to D8 . The optional was taken in the middle of grid. | Garage | 4.0 | uR/hr | Garage |
| D8 | 4.0 | uR/hr | No | Partial grid- 40% surveyed. N/A 60% outside of unit interior boundary. | Garage | | uR/hr | Garage |
| D9 | | uR/hr | No | N/A- Grids are outside unit interior boundary. Actual depth is 8 meters. | Garage | | uR/hr | |

CBI Supervisor : Tina Piquet

Signature :

Senior Technician : Daphne Degering

Signature :



## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/16/2014 1:28 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 293633 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.60 | uR/hr |
| **Standard Deviation:** | 0.00 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A9 | | uR/hr | No | N/A- Grids outside unit interior boundary. Actual dimensions 8 meters in length. | Garage | | uR/hr | |
| B1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B9 | | uR/hr | No | N/A- Grids outside unit interior boundary. Actual dimensions 8 meters in length. | Garage | | uR/hr | |
| C1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C9 | | uR/hr | No | N/A- Grids outside unit interior boundary. Actual dimensions 8 meters in length. | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D1 | 3.6 | uR/hr | No | Partial grid- 45% surveyed. N/A 65% of grid outside unit interior boundary. | Garage | | uR/hr | |
| D2 | 3.6 | uR/hr | No | Partial grid- 45% surveyed. N/A 65% of grid outside unit interior boundary. | Garage | | uR/hr | |
| D3 | 3.6 | uR/hr | No | Partial grid- 45% surveyed. N/A 65% of grid outside unit interior boundary. | Garage | | uR/hr | |
| D4 | 3.6 | uR/hr | No | Partial grid- 45% surveyed. N/A 65% of grid outside unit interior boundary. | Garage | | uR/hr | |
| D5 | 3.6 | uR/hr | No | Partial grid- 45% surveyed. N/A 65% of grid outside unit interior boundary. | Garage | | uR/hr | |
| D6 | 3.6 | uR/hr | No | Partial grid- 45% surveyed. N/A 65% of grid outside unit interior boundary. | Garage | | uR/hr | |
| D7 | 3.6 | uR/hr | No | Partial grid- 45% surveyed. N/A 65% of grid outside unit interior boundary. | Garage | | uR/hr | |
| D8 | 3.6 | uR/hr | No | Partial grid- 45% surveyed. N/A 65% of grid outside unit interior boundary. | Garage | | uR/hr | |
| D9 | | uR/hr | No | N/A- Grids outside unit interior boundary. Actual dimensions 8 meters in length. | Garage | | uR/hr | |

CBI Supervisor : Tina Piquet

Signature :

Senior Technician : Daphne Degering

Signature :

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 3:40 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309127 |
| **Layout:** | Garage |
| **Background Reading:** | 4.0 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.90 | uR/hr |
| **Standard Deviation:** | 0.18 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 4.00 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A9 | | uR/hr | No | no actual partial there when gridding | Garage | | uR/hr | |
| B1 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B9 | | uR/hr | No | no actual partial there when gridding | Garage | | uR/hr | |
| C1 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C9 | | uR/hr | No | no actual partial there when gridding | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D1 | 4.0 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D2 | 4.0 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D3 | 4.0 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D4 | 3.6 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D5 | 3.6 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D6 | 4.0 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D7 | 3.6 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D8 | 3.6 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D9 | | uR/hr | No | no actual partial there when gridding | Garage | | uR/hr | |

CBI Supervisor : Garrick Anderson

Signature :

Senior Technician : Patricia Lozano

Signature :



## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 3:41 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.12 | uR/hr |
| **Standard Deviation:** | 0.28 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A9 | 2.8 | uR/hr | No | Partial grid-partial grid within wall construction (10%) | Garage | | uR/hr | |
| B1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 2.8 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 6 inches. | Garage | | uR/hr | |
| B5 | 2.8 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 10" | Garage | | uR/hr | |
| B6 | 2.8 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 9.5" | Garage | | uR/hr | |
| B7 | 2.8 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 10" | Garage | | uR/hr | |
| B8 | 2.8 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 12 inches. | Garage | | uR/hr | |
| B9 | 2.8 | uR/hr | No | Partial grid-partial grid within wall construction (10%) | Garage | | uR/hr | |
| C1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 3.2 | uR/hr | No | | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| C3 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 2.8 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 6.5" | Garage | | uR/hr | |
| C5 | 3.2 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 11" | Garage | | uR/hr | |
| C6 | 2.8 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 9" | Garage | | uR/hr | |
| C7 | 2.8 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 12" | Garage | | uR/hr | |
| C8 | 3.2 | uR/hr | No | Survey performed under non-movable object (Toyota Forerunner-SUV). Scan taken at various heights between contact and 4 inches. object contained within B4-B8 and C4-C8. Static taken at 12 inches. | Garage | | uR/hr | |
| C9 | 3.2 | uR/hr | No | Partial grid-partial grid within wall construction (10%) | Garage | | uR/hr | |
| D1 | 3.6 | uR/hr | No | Partial grid-partial grid within wall construction (50%) | Garage | | uR/hr | |
| D2 | 3.6 | uR/hr | No | Partial grid-partial grid within wall construction (50%) | Garage | | uR/hr | |
| D3 | 3.6 | uR/hr | No | Partial grid-partial grid within wall construction (50%) | Garage | | uR/hr | |
| D4 | 3.2 | uR/hr | No | Partial grid-partial grid within wall construction (50%) | Garage | | uR/hr | |
| D5 | 3.2 | uR/hr | No | Partial grid-partial grid within wall construction (50%) | Garage | | uR/hr | |
| D6 | 3.2 | uR/hr | No | Partial grid-partial grid within wall construction (50%) | Garage | | uR/hr | |
| D7 | 3.2 | uR/hr | No | Partial grid-partial grid within wall construction (50%) | Garage | | uR/hr | |
| D8 | 3.2 | uR/hr | No | Partial grid-partial grid within wall construction (50%) | Garage | | uR/hr | |
| D9 | 3.2 | uR/hr | No | Partial grid-partial grid within wall construction (30%) | Garage | | uR/hr | |

CBI Supervisor : Adam Hickok

Signature :

Senior Technician : Phillip Perez

Signature :

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 10:10 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.35 | uR/hr |
| **Standard Deviation:** | 0.20 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A9 | | uR/hr | No | N/A grid is on garage exterior | Garage | | uR/hr | |
| B1 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B9 | | uR/hr | No | N/A grid is on garage exterior | Garage | | uR/hr | |
| C1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C9 | | uR/hr | No | N/A grid is on garage exterior | Garage | | uR/hr | |
| D1 | 3.6 | uR/hr | No | partial grid- exterior wall within grid | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D2 | 3.2 | uR/hr | No | partial grid- exterior wall within grid | Garage | | uR/hr | |
| D3 | 3.2 | uR/hr | No | partial grid- exterior wall within grid | Garage | | uR/hr | |
| D4 | 3.2 | uR/hr | No | partial grid- exterior wall within grid | Garage | | uR/hr | |
| D5 | 3.2 | uR/hr | No | partial grid- exterior wall within grid | Garage | | uR/hr | |
| D6 | 3.2 | uR/hr | No | partial grid- exterior wall within grid | Garage | | uR/hr | |
| D7 | 3.2 | uR/hr | No | partial grid- exterior wall within grid | Garage | | uR/hr | |
| D8 | 3.2 | uR/hr | No | partial grid- exterior wall within grid | Garage | | uR/hr | |
| D9 | | uR/hr | No | N/A grid is on garage exterior | Garage | | uR/hr | |

## Secondary Readings : A9

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|

| Secondary Type | Notes |
|---|---|

WIN_20140617_090305.JPG

CBI Supervisor : Joyce McGee

Signature :

Senior Technician : Efraim Ramirez

Signature :

# Summary Report
## 1441 Chinook Court Unit G6

### Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/16/2014 2:07 PM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309099 | |
| **Layout:** | Garage | |
| **Background Reading:** | 3.6 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.34 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

# Summary Report
## 1441 Chinook Court Unit G6

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within the grid |
| D2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within the grid |
| D3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within the grid |
| D4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within the grid |
| D5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within grid |
| D6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within grid |
| D7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within grid |
| D8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within grid |
| D9 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within grid |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Mark Cafouras

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 3:47 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309110 |
| **Layout:** | Floor Plan 8B |
| **Background Reading:** | 4.0 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 114 | |
| **Average:** | 3.85 | uR/hr |
| **Standard Deviation:** | 0.26 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.80 | uR/hr |
| **Median:** | 4.00 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 4.8 | uR/hr | No | Elevated measurements due to NORM in clay brick material | Living Room | | uR/hr | |
| A2 | 4.8 | uR/hr | No | Elevated measurements due to NORM in clay brick material | Living Room | | uR/hr | |
| A3 | 4.4 | uR/hr | No | Elevated measurements due to NORM in clay brick material | Living Room | | uR/hr | |
| A4 | 4.4 | uR/hr | No | partial grid 10% non-accessible- contained within wall construction. Elevated measurements due to NORM in clay brick material. | Living Room | | uR/hr | |
| B1 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| B2 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| B3 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| B4 | 4.0 | uR/hr | No | partial grid 10% non-accessible- contained within wall construction. | Living Room | | uR/hr | |
| B5 | 4.0 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Hallway | | uR/hr | |
| B6 | 3.6 | uR/hr | No | partial grid 90% accessible-partially contained within wall construction. | Hallway | | uR/hr | |
| C1 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| C2 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| C3 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| C4 | 4.0 | uR/hr | No | partial grid 10% non-accessible- contained within wall construction. | Living Room | | uR/hr | |
| C5 | 4.0 | uR/hr | No | | Hallway | | uR/hr | |
| C6 | 3.6 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Hallway | | uR/hr | |
| D1 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| D2 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| D3 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| D4 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| D5 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| D6 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| D7 | 3.6 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Hallway | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D8 | 3.6 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Hallway | | uR/hr | |
| D9 | 3.6 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Hallway | | uR/hr | |
| D10 | 3.6 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Utility | | uR/hr | |
| D11 | 3.2 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Utility | | uR/hr | |
| D12 | 3.6 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Utility | 3.2 | uR/hr | Storage |
| D13 | 3.6 | uR/hr | No | partial grid 90% accessible-partially contained within wall construction. | Storage | | uR/hr | |
| E1 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| E2 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| E3 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| E4 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E5 | 4.0 | uR/hr | No | | Hallway | 3.6 | uR/hr | Closet |
| E6 | 3.6 | uR/hr | No | survey performed on non-movable furnace / water heater at 12" height | Hallway | 3.2 | uR/hr | Storage |
| E7 | 3.6 | uR/hr | No | storage is non-accessible | Hallway | 3.6 | uR/hr | Closet |
| E8 | 3.6 | uR/hr | No | | Hallway | 3.6 | uR/hr | Closet |
| E9 | 3.6 | uR/hr | No | | Hallway | 3.6 | uR/hr | Closet |
| E10 | 3.6 | uR/hr | No | | Utility | 3.6 | uR/hr | Closet |
| E11 | 3.2 | uR/hr | No | partial grid 10% accessible- installed dryer | Utility | | uR/hr | |
| E12 | 3.6 | uR/hr | No | partial grid 10% accessible in utility- installed dryer | Storage | 3.2 | uR/hr | Utility |
| E13 | 3.6 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Storage | | uR/hr | |
| F1 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| F2 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| F3 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| F4 | 4.0 | uR/hr | No | | Dining Room | | uR/hr | |
| F5 | 3.6 | uR/hr | No | | Closet | 3.6 | uR/hr | Bedroom |
| F6 | 3.6 | uR/hr | No | storage is non-accessible | Bedroom | 3.6 | uR/hr | Closet |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| F7 | 4.0 | uR/hr | No | storage is non-accessible | Bedroom | 3.6 | uR/hr | Closet |
| F8 | 3.6 | uR/hr | No | | Hallway | 3.2 | uR/hr | Closet |
| F9 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| F10 | 3.6 | uR/hr | No | surveyed inside bathroom cabinet | Bathroom | 3.6 | uR/hr | Closet |
| F11 | 3.6 | uR/hr | No | partial grid(utilities)- installed washer and dryer. partial grid (bathroom)- installed toilet. surveyed inside bathroom cabinet | Bathroom | | uR/hr | |
| F12 | 4.0 | uR/hr | No | | Bathroom | 3.6 | uR/hr | Storage |
| F13 | 4.0 | uR/hr | No | surveyed inside bathtub | Bathroom | 4.0 | uR/hr | Storage |
| G1 | 4.0 | uR/hr | No | partial grid-installed refrigerator | Kitchen | 4.0 | uR/hr | Dining Room |
| G2 | 4.0 | uR/hr | No | | Kitchen | 4.0 | uR/hr | Dining Room |
| G3 | 4.0 | uR/hr | No | | Kitchen | 4.0 | uR/hr | Dining Room |
| G4 | 3.6 | uR/hr | No | | Kitchen | 3.6 | uR/hr | Dining Room |
| G5 | 3.6 | uR/hr | No | dining room and kitchen partial grid contained within wall | Bedroom | | uR/hr | |
| G6 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| G7 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| G8 | 3.2 | uR/hr | No | | Closet | 3.6 | uR/hr | Bedroom |
| G9 | 4.0 | uR/hr | No | | Hallway | 3.6 | uR/hr | Bedroom |
| G10 | 3.6 | uR/hr | No | | Bathroom | 3.6 | uR/hr | Bedroom |
| G11 | 4.0 | uR/hr | No | | Bathroom | 3.6 | uR/hr | Bedroom |
| G12 | 4.0 | uR/hr | No | | Bathroom | 4.0 | uR/hr | Bedroom |
| G13 | 3.6 | uR/hr | No | surveyed inside bathtub | Bathroom | 4.0 | uR/hr | Closet |
| H1 | 4.0 | uR/hr | No | partial grid-installed refrigerator and base cabinet | Kitchen | | uR/hr | |
| H2 | 4.0 | uR/hr | No | | Kitchen | | uR/hr | |
| H3 | 4.0 | uR/hr | No | | Kitchen | | uR/hr | |
| H4 | 4.0 | uR/hr | No | | Kitchen | | uR/hr | |
| H5 | 4.0 | uR/hr | No | kitchen partial grid contained within wall construction | Bedroom | | uR/hr | |
| H6 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| H7 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| H8 | 3.6 | uR/hr | No | | Closet | 4.0 | uR/hr | Bedroom |
| H9 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| H10 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| H11 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| H12 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| H13 | 4.0 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Closet | | uR/hr | |
| I1 | 4.0 | uR/hr | No | partial grid-installed base cabinets and stove | Kitchen | | uR/hr | |
| I2 | 4.0 | uR/hr | No | | Kitchen | | uR/hr | |
| I3 | 4.0 | uR/hr | No | | Kitchen | | uR/hr | |
| I4 | 4.0 | uR/hr | No | | Kitchen | | uR/hr | |
| I5 | 4.0 | uR/hr | No | kitchen partial grid contained within wall construction | Bedroom | | uR/hr | |
| I6 | 4.0 | uR/hr | No | partial grid 85% accessible- partially contained within wall construction. | Bedroom | | uR/hr | |
| I7 | 4.0 | uR/hr | No | partial grid 85% accessible- partially contained within wall construction. | Bedroom | | uR/hr | |
| I8 | 4.0 | uR/hr | No | partial grid 85% accessible- partially contained within wall construction. | Closet | 4.0 | uR/hr | Bedroom |
| I9 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| I10 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| I11 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| I12 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| I13 | 4.0 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Closet | | uR/hr | |
| J1 | 4.0 | uR/hr | No | survey performed within accessible base cabinets | Kitchen | | uR/hr | |
| J2 | 4.0 | uR/hr | No | partial grid- installed dish washer and sink. Survey performed within accessible base cabinet | Kitchen | | uR/hr | |
| J3 | 4.0 | uR/hr | No | partial grid 75% accessible due to base cabinets. | Kitchen | | uR/hr | |
| J4 | 4.0 | uR/hr | No | | Kitchen | | uR/hr | |
| J5 | | uR/hr | No | N/A- grid is outside unit interior boundary | Kitchen | | uR/hr | |
| J9 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| J10 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| J11 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| J12 | 4.0 | uR/hr | No | | Bedroom | | uR/hr | |
| J13 | 3.6 | uR/hr | No | partial grid 95% accessible-partially contained within wall construction. | Closet | | uR/hr | |
| K1 | 4.0 | uR/hr | No | static reading 50% accessible taken at 6" due shelves. partial grid partially contained within wall construction. | Kitchen | | uR/hr | |
| K2 | | uR/hr | No | grid was non-accessible due to dish washer and wall construction | Kitchen | | uR/hr | |
| K3 | 4.0 | uR/hr | No | partial grid 20% accessible due to base cabinets and wall constructions | Kitchen | | uR/hr | |
| K4 | 4.0 | uR/hr | No | partial grid 50%- partially contained within wall construction. | Kitchen | | uR/hr | |
| K5 | | uR/hr | No | N/A- grid is outside unit interior boundary | Kitchen | | uR/hr | |
| K9 | 4.0 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction. | Bedroom | | uR/hr | |
| K10 | 4.0 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction. | Bedroom | | uR/hr | |
| K11 | 4.0 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction. | Bedroom | | uR/hr | |
| K12 | 3.6 | uR/hr | No | partial grid 50% accessible-partially contained within wall construction. | Bedroom | | uR/hr | |
| K13 | 4.0 | uR/hr | No | partial grid 50%- partially contained within wall construction. | Closet | | uR/hr | |

CBI Supervisor : Carlos Bernal

Signature :

Senior Technician : Antonio Neotti

Signature :

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 3:28 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Floor Plan 8 |
| **Background Reading:** | 3.6 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 117 | |
| **Average:** | 3.58 | uR/hr |
| **Standard Deviation:** | 0.39 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.80 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | No | installed based cabinet covers 60% of grid. surveyed on cabinet base 3" above floor | Kitchen | | uR/hr | |
| A2 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |
| A3 | 3.2 | uR/hr | No | partial grid- installed dishwasher | Kitchen | | uR/hr | |
| A4 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |
| A5 | | uR/hr | No | N/A grid is on exterior | Kitchen | | uR/hr | |
| A9 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| A10 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| A11 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| A12 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| A13 | 3.6 | uR/hr | No | | Closet | | uR/hr | |
| B1 | 3.2 | uR/hr | No | partial grid- installed stove | Kitchen | | uR/hr | |
| B2 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |
| B3 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |
| B4 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |
| B5 | 3.2 | uR/hr | No | partial grid survey in bedroom, remainder of grid exterior wall | Bedroom | | uR/hr | |
| B6 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| B7 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| B8 | 3.6 | uR/hr | No | | Closet | | uR/hr | |
| B9 | 3.2 | uR/hr | No | | Bedroom | | uR/hr | |
| B10 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| B11 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| B12 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| B13 | 3.6 | uR/hr | No | | Closet | | uR/hr | |
| C1 | 3.6 | uR/hr | No | installed based cabinet covers 60% of grid. surveyed on cabinet base 3" above floor | Kitchen | | uR/hr | |
| C2 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |
| C3 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |
| C4 | 3.6 | uR/hr | No | | Kitchen | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| C5 | 3.6 | uR/hr | No | grid fully in bedroom | Bedroom | | uR/hr | |
| C6 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| C7 | 3.2 | uR/hr | No | | Bedroom | | uR/hr | |
| C8 | 3.2 | uR/hr | No | | Closet | | uR/hr | |
| C9 | 3.6 | uR/hr | No | | Bedroom | | uR/hr | |
| C10 | 3.6 | uR/hr | No | tile floor in bathroom | Bedroom | 3.6 | uR/hr | Bathroom |
| C11 | 3.6 | uR/hr | No | tile floor in bathroom | Bedroom | 4.0 | uR/hr | Bathroom |
| C12 | 4.0 | uR/hr | No | tile floor in bathroom | Bedroom | 4.8 | uR/hr | Bathroom |
| C13 | 4.0 | uR/hr | No | tile floor in bathroom | Closet | 5.2 | uR/hr | Bathroom |
| D1 | 3.2 | uR/hr | No | partial grid- installed refrigerator/ interior wall | Kitchen | 3.6 | uR/hr | Dining Room |
| D2 | 3.6 | uR/hr | No | | Kitchen | 3.6 | uR/hr | Dining Room |
| D3 | 3.6 | uR/hr | No | | Kitchen | 3.2 | uR/hr | Dining Room |
| D4 | 3.2 | uR/hr | No | | Kitchen | 3.2 | uR/hr | Dining Room |
| D5 | 3.2 | uR/hr | No | | Bedroom | | uR/hr | |
| D6 | 3.2 | uR/hr | No | | Bedroom | | uR/hr | |
| D7 | 3.2 | uR/hr | No | | Bedroom | | uR/hr | |
| D8 | 3.2 | uR/hr | No | | Closet | | uR/hr | |
| D9 | 3.6 | uR/hr | No | | Bathroom | | uR/hr | |
| D10 | 4.0 | uR/hr | No | grid fully in bathroom | Bathroom | | uR/hr | |
| D11 | 4.4 | uR/hr | No | tile floor | Bathroom | | uR/hr | |
| D12 | 4.8 | uR/hr | No | tile floor | Bathroom | | uR/hr | |
| D13 | 4.8 | uR/hr | No | tile floor | Bathroom | | uR/hr | |
| E1 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E2 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E3 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E4 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| E5 | 3.2 | uR/hr | No | | Bedroom | | uR/hr | |
| E6 | 3.2 | uR/hr | No | | Bedroom | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| E7 | 3.2 | uR/hr | No | | Bedroom | | uR/hr | |
| E8 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| E9 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| E10 | 4.0 | uR/hr | No | | Bathroom | | uR/hr | |
| E11 | 4.4 | uR/hr | No | surveyed near toilet/ tile floor | Bathroom | | uR/hr | |
| E12 | 4.8 | uR/hr | No | tile floor | Bathroom | | uR/hr | |
| E13 | 4.8 | uR/hr | No | tile floor | Bathroom | | uR/hr | |
| F1 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F2 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F3 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F4 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| F5 | 3.2 | uR/hr | No | | Closet | | uR/hr | |
| F6 | | uR/hr | No | N/A base of mech room 2ft above floor (wood floor surveyed, contact reading 2.8 micro R) | Storage | | uR/hr | |
| F7 | 3.2 | uR/hr | No | partial grid- reminder of grid in mech room N/A (2ft above floor) | Closet | | uR/hr | |
| F8 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| F9 | 3.2 | uR/hr | No | | Hallway | 3.2 | uR/hr | Closet |
| F10 | 3.2 | uR/hr | No | partial grid- installed dryer covers part of grid | Utility | | uR/hr | |
| F11 | | uR/hr | No | N/A installed washer /dryer | Utility | | uR/hr | |
| F12 | 3.6 | uR/hr | No | | Storage | | uR/hr | |
| F13 | 3.6 | uR/hr | No | | Storage | | uR/hr | |
| G1 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| G2 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| G3 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| G4 | 3.6 | uR/hr | No | | Dining Room | | uR/hr | |
| G5 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| G6 | 3.2 | uR/hr | No | grid fully in hallway | Hallway | | uR/hr | |
| G7 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| G8 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| G9 | 3.2 | uR/hr | No | | Hallway | 3.2 | uR/hr | Utility |
| G10 | 3.2 | uR/hr | No | grid fully in utility room | Utility | | uR/hr | |
| G11 | 3.2 | uR/hr | No | | Utility | | uR/hr | |
| G12 | 3.2 | uR/hr | No | | Storage | | uR/hr | |
| G13 | 3.2 | uR/hr | No | | Storage | | uR/hr | |
| H1 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| H2 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| H3 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| H4 | 3.6 | uR/hr | No | | Living Room | 3.6 | uR/hr | Hallway |
| H5 | 3.6 | uR/hr | No | | Hallway | | uR/hr | |
| H6 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| H7 | | uR/hr | No | N/A grid covers outside exterior | Hallway | | uR/hr | |
| H8 | | uR/hr | No | N/A grid covers outside exterior | Hallway | | uR/hr | |
| H9 | | uR/hr | No | N/A grid covers outside exterior | Hallway | | uR/hr | |
| H10 | | uR/hr | No | N/A grid covers outside exterior | Hallway | | uR/hr | |
| H11 | | uR/hr | No | N/A grid covers outside exterior | Utility | | uR/hr | |
| H12 | | uR/hr | No | N/A grid covers outside exterior | Utility | | uR/hr | |
| H13 | | uR/hr | No | N/A grid covers outside exterior | Storage | | uR/hr | |
| I1 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| I2 | 3.6 | uR/hr | No | | Living Room | | uR/hr | |
| I3 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| I4 | 3.6 | uR/hr | No | | Living Room | 3.2 | uR/hr | Hallway |
| I5 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| I6 | 3.2 | uR/hr | No | | Hallway | | uR/hr | |
| J1 | 4.4 | uR/hr | No | | Living Room | | uR/hr | |
| J2 | 4.4 | uR/hr | No | | Living Room | | uR/hr | |
| J3 | 4.4 | uR/hr | No | | Living Room | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| J4 | 4.0 | uR/hr | No | | Living Room | | uR/hr | |
| J5 | | uR/hr | No | N/A grid covers outside exterior | Hallway | | uR/hr | |
| J6 | | uR/hr | No | N/A grid covers outside exterior | Hallway | | uR/hr | |
| K1 | | uR/hr | No | N/A grid covers outside exterior | Living Room | | uR/hr | |
| K2 | | uR/hr | No | N/A grid covers outside exterior | Living Room | | uR/hr | |
| K3 | | uR/hr | No | N/A grid covers outside exterior | Living Room | | uR/hr | |
| K4 | | uR/hr | No | N/A grid covers outside exterior | Living Room | | uR/hr | |

## Secondary Readings : F6

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|

| Secondary Type | Notes |
|---|---|

WIN_20140617_125713.JPG

## Secondary Readings : F11

| Secondary Type | Instrument ID | Instrument Serial | Reading | Reading Unit | Bulls Eye Location | ROC |
|---|---|---|---|---|---|---|

| Secondary Type | Notes |
|---|---|

WIN_20140617_124719.JPG

CBI Supervisor : Joyce McGee

Signature :

Senior Technician : Efraim Ramirez

Signature :

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 3:53 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 2.99 | uR/hr |
| **Standard Deviation:** | 0.22 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 2.80 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A9 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (30%). | Garage | | uR/hr | |
| B1 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B9 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (10%). | Garage | | uR/hr | |
| C1 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C9 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (10%). | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D1 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D2 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D3 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D4 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D5 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D6 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D7 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D8 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D9 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (30%). | Garage | | uR/hr | |

CBI Supervisor : Adam Hickok

Signature :

Senior Technician : Phillip Perez

Signature :

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 3:50 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 2.8 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 2.87 | uR/hr |
| **Standard Deviation:** | 0.15 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.20 | uR/hr |
| **Median:** | 2.80 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A9 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (30%). | Garage | | uR/hr | |
| B1 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| B9 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (10%). | Garage | | uR/hr | |
| C1 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 2.8 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C9 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (10%). | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D1 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D2 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D3 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D4 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D5 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D6 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D7 | 2.8 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D8 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (50%). | Garage | | uR/hr | |
| D9 | 3.2 | uR/hr | No | Partial grid-partial grid contained within wall construction (30%). | Garage | | uR/hr | |

CBI Supervisor : Adam Hickok

Signature :

Senior Technician : Phillip Perez

Signature :

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 3:27 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309127 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.44 | uR/hr |
| **Standard Deviation:** | 0.22 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A9 | | uR/hr | No | no actual partial there when gridding | Garage | | uR/hr | |
| B1 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B9 | | uR/hr | No | no actual partial there when gridding | Garage | | uR/hr | |
| C1 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C9 | | uR/hr | No | no actual partial there when gridding | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D1 | 3.2 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D2 | 3.2 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D3 | 3.2 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D4 | 3.6 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D5 | 3.2 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D6 | 3.2 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D7 | 3.6 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D8 | 4.0 | uR/hr | No | partial grid- grid partially contained within wall construction | Garage | | uR/hr | |
| D9 | | uR/hr | No | no actual partial there when gridding | Garage | | uR/hr | |

CBI Supervisor : Garrick Anderson

Signature :

Senior Technician : Patricia Lozano

Signature :

# Summary Report
## 1442 Chinook Court Unit G4

### Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/17/2014 2:01 PM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309099 | |
| **Layout:** | Garage | |
| **Background Reading:** | 3.2 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.28 | uR/hr |
| **Standard Deviation:** | 0.28 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | exterior wall, brick wall on outside |
| A9 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within grid |
| B1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid- exterior wall within grid |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D8 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D9 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Mark Cafouras

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/16/2014 4:19 PM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309110 | |
| **Layout:** | Floor Plan 8 | |
| **Background Reading:** | 3.2 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | Yes | |
| **Tenant Present:** | Yes | |
| **Unit Notes:** | | |

Non-moveable bed. Occupant would not permit movement of bed to permit floor scan with Ludlum M-196-6. Ludlum M19 used as alternate survey method.

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 117 | |
| **Average:** | 3.91 | uR/hr |
| **Standard Deviation:** | 0.48 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 5.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | partial grid 20% accessible- installed base cabinets. Elevated measurements due to NORM in ceramic tiles. |
| A2 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | partial grid 20% accessible- installed dishwasher. Elevated measurements due to NORM in ceramic tiles. |
| A3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Partial grid 75% accessible- installed base cabinets. Elevated measurements due to NORM in ceramic tiles. |
| A4 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |
| A5 | | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | N/A- Grid is outside unit interior boundary. |
| A9 | 5.0 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A10 | 5.0 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| A11 | 5.0 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| A12 | 4.4 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | partial grid 25% accessible-non movable dresser |
| A13 | 4.0 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| B1 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | partial grid 30% accessible-installed base cabinets and stove. Elevated measurements due to NORM in ceramic tiles. |
| B2 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |
| B3 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |
| B4 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B5 | | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | N/A- Grid is outside unit interior boundary. |
| B6 | | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | N/A- Grid is outside unit interior boundary. |
| B7 | | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | N/A- Grid is outside unit interior boundary. |
| B8 | | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | N/A- Grid is outside unit interior boundary. |
| B9 | 5.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| B10 | 5.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| B11 | 5.0 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| B12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B13 | 4.0 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C1 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | partial grid 30% accessible- installed base cabinets. Elevated measurements due to NORM in ceramic tiles. |
| C2 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |
| C3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |
| C4 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |
| C5 | 5.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| C6 | 3.6 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| C7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 4.0 | uR/hr | Closet | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | partial grid inside bedroom |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C9 | 3.6 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| C10 | 3.6 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| C11 | 4.0 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| C12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C13 | 4.0 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| D1 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | partial grid 20% accessible-installed refrigerator. Elevated measurements due to NORM in ceramic tiles. |
| D2 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |
| D3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D4 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Elevated measurements due to NORM in ceramic tiles. |
| D5 | 5.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| D6 | 3.6 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR |
| D7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D8 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | partial grid inside bedroom |
| D9 | 3.6 | uR/hr | Hallway | | 4.0 | uR/hr | Bedroom | | | uR/hr | | | No | partial grid inside bedroom |
| D10 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| D11 | 4.0 | uR/hr | Bathroom | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | partial grid 20% accessible - non movable dresser |
| D12 | 4.0 | uR/hr | Bathroom | | 4.0 | uR/hr | Bedroom | | | uR/hr | | | No | partial grid inside bedroom |
| D13 | 4.0 | uR/hr | Bathroom | | 4.0 | uR/hr | Bathroom | | 4 | uR/hr | Closet | | No | bathroom partial grid surveyed inside and outside bathtub |
| E1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E5 | 5.0 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable dresser surveyed with model 19 s/n 267078, background 1 meter entry 5 microR. 12" static off centered on dining/bedroom wall |
| E6 | 5.0 | uR/hr | Bedroom | | 5.0 | uR/hr | Bedroom | | | uR/hr | | | No | Under non-movable bed surveyed with model 19 s/n 267078, background 1 meter entry 5 microR. 12" static off centered on storage wall |
| E7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E8 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E10 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E11 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E12 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E13 | 4.0 | uR/hr | Bathroom | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | surveyed inside and outside bathtub. |
| F1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| F6 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| F7 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| F8 | 3.6 | uR/hr | Hallway | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | partial grid inside closet |
| F9 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | partial grid inside hallway |
| F10 | 3.6 | uR/hr | Closet | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | bathroom partial grid non accessible-installed cabinets |
| F11 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | utility partial grid non accessible-installed washer and dryer. bathroom partial grid non accessible-installed cabinets |
| F12 | 3.6 | uR/hr | Storage | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | utility partial grid non accessible-installed washer and dryer. Elevated measurements due to NORM in toilet bowl materials |
| F13 | 3.6 | uR/hr | Storage | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | bathroom partial surveyed inside bathtub |
| G1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | storage is non eccessible |
| G7 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | storage is non accessible |
| G8 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | partial grid inside closet |
| G9 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G10 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G11 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G13 | 4.0 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | |
| H1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| H7 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | partial grid 40%- partially contained within wall construction |
| H8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | partial grid 40%- partially contained within wall construction |
| H9 | 3.6 | uR/hr | Hallway | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | partial grid 40%- partially contained within wall construction |
| H10 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | partial grid 40%- partially contained within wall construction |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H11 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | partial grid 40%- partially contained within wall construction |
| H12 | 3.6 | uR/hr | Utility | | 3.6 | uR/hr | Storage | | | uR/hr | | | No | partial grid 40%- partially contained within wall construction |
| H13 | 3.6 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | partial grid 40%- partially contained within wall construction |
| I1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| I6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| J1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J2 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J3 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J5 | 4.0 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | partial grid 30%- partially contained within wall construction |
| J6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | partial grid 30% accessible- partially contained within wall construction |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | partial grid 50%- partially contained within wall construction |
| K2 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | partial grid 50%- partially contained within wall construction |
| K3 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | partial grid 50%- partially contained within wall construction |
| K4 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | partial grid 50%- partially contained within wall construction |

**CBI Supervisor :** Carlos Bernal

**Signature :**

**Senior Technician :** Antonio Neotti

**Signature :**

**Signoff Notes:**

# Summary Report
## 1443 Chinook Court Unit F

### Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/16/2014 4:12 PM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309119 | |
| **Layout:** | Floor Plan 8B | |
| **Background Reading:** | 3.6 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |




### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 112 | |
| **Average:** | 3.74 | uR/hr |
| **Standard Deviation:** | 0.52 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 5.60 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | Partial grid- |
| B1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Living Room | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| C1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Living Room | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D4 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D7 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D9 | 3.6 | uR/hr | Hallway | | 3.6 | uR/hr | Utility | | | uR/hr | | | No | |
| D10 | 4.0 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | Tilee floor |
| D11 | 4.0 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | Tile floor |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D12 | 4.4 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | Tile floor shower |
| D13 | 4.4 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | Partial grid- Remainder of grid outside of floor plan. Tile floor |
| E1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| E6 | 3.2 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | Closet base floor is 2 feet above ground. Accessible area scanned, static at 12" not obtained. Scan measurement is 3.2 uR/hr. |
| E7 | 3.2 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | Partial grid- closet only |
| E8 | 3.2 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| E9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E10 | 3.6 | uR/hr | Utility | | 4.0 | uR/hr | Closet | | | uR/hr | | | No | Partial grid- Installed washing machine. Tile floor |
| E11 | 4.0 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | Partial grid- Installed washing machine and clothes dryer. Tile floor |
| E12 | 4.8 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | Partial grid- Installed dryer. Tile floor |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E13 | 4.8 | uR/hr | Storage | | | uR/hr | | | | uR/hr | | | No | Partial grid- Remainder of grid outside of floor plan. Tile floor |
| F1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| F6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| F7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| F8 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| F9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| F10 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| F11 | 4.4 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Tile floor near tolet |
| F12 | 5.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| F13 | 5.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Tile floor. Scan with gamma spec MCA, identified K-40. MCA file#20140616110029 unit #69550. |
| G1 | 3.6 | uR/hr | Dining Room | | 4.0 | uR/hr | Kitchen | | | uR/hr | | | No | Partial grid- Installed refrigerator. Tile floor |
| G2 | 4.0 | uR/hr | Kitchen | | 3.6 | uR/hr | Dining Room | | | uR/hr | | | No | Tile floor |
| G3 | 3.6 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | Tile floor |
| G4 | 3.6 | uR/hr | Kitchen | | 3.6 | uR/hr | Dining Room | | | uR/hr | | | No | Tile floor |
| G5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.6 | uR/hr | Closet | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| G9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G10 | 4.0 | uR/hr | Bathroom | | | uR/hr | Bathroom | | | uR/hr | | | No | Tile floor |
| G11 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| G12 | 4.8 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| G13 | 5.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| H1 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Partial grid- Installed base cabinets. Tile floor |
| H2 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| H3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| H4 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| H5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H8 | 3.2 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| H9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H10 | 3.6 | uR/hr | Bedroom | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | |
| H11 | 3.6 | uR/hr | Bedroom | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | Tile floor |
| H12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H13 | 4.4 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| I1 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Partial grid- Installed Stove. Tile floor |
| I2 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| I3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| I4 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Tile floor |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I5 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Partial grid- Remaining grid is outside of floor plan |
| I6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Partial grid- Remaining grid is outside of floor plan |
| I7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | Partial grid- Remaining grid is outside of floor plan |
| I8 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | Partial grid- Remaining grid is outside of floor plan |
| I9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I13 | 4.0 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| J1 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Partial grid- Installed base cabinets. Tile floor |
| J2 | 4.8 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| J3 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Partial grid- Installed Dishwasher. Tile floor |
| J4 | 4.4 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | Tile floor |
| J9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J13 | 3.6 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K1 | | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |
| K2 | | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |
| K3 | | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |
| K4 | | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |
| K9 | | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |
| K10 | | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |
| K11 | | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |
| K12 | | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |
| K13 | | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | n/a- grids are outside unit interior boundary |

**CBI Supervisor :** Joyce McGee

**Signature :**

**Senior Technician :** Efraim Ramirez

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/16/2014 4:23 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309110 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.76 | uR/hr |
| **Standard Deviation:** | 0.20 | uR/hr |
| **Minimum:** | 3.60 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A9 | 3.6 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| B1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B9 | 3.6 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| C1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| C9 | 4.0 | uR/hr | No | | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D1 | 3.6 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| D2 | 3.6 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| D3 | 3.6 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| D4 | 4.0 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| D5 | 4.0 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| D6 | 4.0 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| D7 | 4.0 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| D8 | 4.0 | uR/hr | No | partial grid 40% accessible partially contained within wall construction | Garage | | uR/hr | |
| D9 | 4.0 | uR/hr | No | partial grid 15% accessible partially contained within wall construction | Garage | | uR/hr | |

CBI Supervisor : Carlos Bernal

Signature :

Senior Technician : Antonio Neotti

Signature :

# Summary Report
## 1443 Chinook Court Unit G2

### Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/17/2014 11:09 AM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309099 | |
| **Layout:** | Garage | |
| **Background Reading:** | 3.2 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.19 | uR/hr |
| **Standard Deviation:** | 0.38 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 5.00 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Model 19 - S/N-267078 reading under car 5 micro/rph background |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 5.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Model 19-S/N-267078 reading under car, 5 micro/rph background front tire covering partial grid |
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within the grid |
| D4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| D5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within the grid |
| D6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D8 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Mark Cafouras

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/17/2014 3:48 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309110 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.63 | uR/hr |
| **Standard Deviation:** | 0.26 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height | Garage | 4.0 | uR/hr | Garage |
| A4 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. Car tire surface was non-accessible. | Garage | 4.0 | uR/hr | Garage |
| A5 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. | Garage | 4.0 | uR/hr | Garage |
| A6 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. car tire surface was non-accessible. | Garage | 4.0 | uR/hr | Garage |
| A7 | 4.0 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. car tire surface was non-accessible. | Garage | 4.0 | uR/hr | Garage |
| A8 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| A9 | 4.0 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| B1 | 4.0 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. | Garage | 4.0 | uR/hr | Garage |
| B4 | 4.0 | uR/hr | No | grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. car tire surface was non-accessible. | Garage | | uR/hr | Garage |
| B5 | 4.0 | uR/hr | No | grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. | Garage | | uR/hr | |
| B6 | 4.0 | uR/hr | No | grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. Car tire surface was non-accessible. | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| B7 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. | Garage | 4.0 | uR/hr | Garage |
| B8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B9 | 3.6 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| C1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. car tire suface was non-accessible. | Garage | 4.0 | uR/hr | Garage |
| C4 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. care tire surface was non-accessible. | Garage | 4.0 | uR/hr | Garage |
| C5 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. | Garage | 4.0 | uR/hr | Garage |
| C6 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. car tire surface was non-accessible. | Garage | 4.0 | uR/hr | Garage |
| C7 | 3.6 | uR/hr | No | partial grid under car surveyed with Model 19 s/n 267078, background 1 meter entry 5 MicroR. stationary measurement performed at 6" due to car height. | Garage | 5.0 | uR/hr | Garage |
| C8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C9 | 3.6 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| D1 | 3.2 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| D2 | 3.6 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| D3 | 3.2 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| D4 | 3.2 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| D5 | 3.2 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D6 | 3.2 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| D7 | 3.2 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| D8 | 3.6 | uR/hr | No | partial grid 50% accessible- partially contained within wall construction | Garage | | uR/hr | |
| D9 | 3.6 | uR/hr | No | partial grid 25% accessible- partially contained within wall construction | Garage | | uR/hr | |

CBI Supervisor : Carlos Bernal

Signature :

Senior Technician : Antonio Neotti

Signature :

# Summary Report
## 1443 Chinook Court Unit G4

### Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/17/2014 10:09 AM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309119 | |
| **Layout:** | Garage | |
| **Background Reading:** | 3.2 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.62 | uR/hr |
| **Standard Deviation:** | 0.16 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 6/24/14 survey at garage door, 10% accessible |
| B1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 6/24/14 survey at garage door, 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

# Summary Report
## 1443 Chinook Court Unit G4

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 6/24/14 survey at garage door, 10% accessible |
| D1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | partial grid- exterior wall within grid |
| D2 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | partial grid- exterior wall within grid |
| D3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | partial grid- exterior wall within grid |
| D4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | partial grid- exterior wall within grid |
| D5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | partial grid- exterior wall within grid |
| D6 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | partial grid- exterior wall within grid |
| D7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | partial grid- exterior wall within grid |
| D8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | partial grid- exterior wall within grid |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 6/24/14 survey at garage door, 10% accessible |

**CBI Supervisor :** Joyce McGee

**Signature :**

**Senior Technician :** Efraim Ramirez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1443 Chinook Court Unit G5

### Unit Summary :

| | | |
|---|---|---|
| **Completion Date:** | 6/17/2014 11:57 AM | |
| **Instrument:** | 193-6 | |
| **Serial #:** | 309099 | |
| **Layout:** | Garage | |
| **Background Reading:** | 3.2 | uR/hr |
| **Dimensions (m):** | D | W |
| **Unit Furnished:** | | |
| **Tenant Present:** | | |
| **Unit Notes:** | | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.22 | uR/hr |
| **Standard Deviation:** | 0.09 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | Partial grid-exterior wall within grid |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Mark Cafouras

**Signature :**

**Signoff Notes:**

## Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/16/2014 3:53 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |

## Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.38 | uR/hr |
| **Standard Deviation:** | 0.20 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

## Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)




## Survey Information:

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A2 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| A3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A7 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A8 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| A9 | | uR/hr | No | n/a- grids are outside unit interior boundary | Garage | | uR/hr | |
| B1 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B2 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B3 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B5 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B6 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| B7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| B9 | | uR/hr | No | n/a- grids are outside unit interior boundary | Garage | | uR/hr | |
| C1 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C2 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C3 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C4 | 3.6 | uR/hr | No | | Garage | | uR/hr | |
| C5 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C6 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C7 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C8 | 3.2 | uR/hr | No | | Garage | | uR/hr | |
| C9 | | uR/hr | No | n/a- grids are outside unit interior boundary | Garage | | uR/hr | |
| D1 | 3.2 | uR/hr | No | Partial grid- Remaining grid outside of floor plan | Garage | | uR/hr | |

| Grid | Reading | Reading Units | Anomaly | Notes | Cell Description | Second Reading | Second Reading Units | Second Reading Cell Description |
|---|---|---|---|---|---|---|---|---|
| D2 | 3.2 | uR/hr | No | Partial grid- Remaining grid outside of floor plan | Garage | | uR/hr | |
| D3 | 3.2 | uR/hr | No | Partial grid- Remaining grid outside of floor plan | Garage | | uR/hr | |
| D4 | 3.2 | uR/hr | No | Partial grid- Remaining grid outside of floor plan | Garage | | uR/hr | |
| D5 | 3.6 | uR/hr | No | Partial grid- Remaining grid outside of floor plan | Garage | | uR/hr | |
| D6 | 3.2 | uR/hr | No | Partial grid- Remaining grid outside of floor plan | Garage | | uR/hr | |
| D7 | 3.2 | uR/hr | No | Partial grid- Remaining grid outside of floor plan | Garage | | uR/hr | |
| D8 | 3.2 | uR/hr | No | Partial grid- Remaining grid outside of floor plan | Garage | | uR/hr | |
| D9 | | uR/hr | No | n/a- grids are outside unit interior boundary | Garage | | uR/hr | |

CBI Supervisor : Joyce McGee

Signature :

Senior Technician : Efraim Ramirez

Signature :

# Summary Report
## 1444 Croaker Court Unit A

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/14/2014 11:00 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 293633 |
| **Layout:** | Floor Plan 8 |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 12.4 W 10.1 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

K1-K4, are less than 6" wide and surveyed with adjacent grid. A5, A8, J5, J6, H7-H13 grids fall outside unit interior floor plan.

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 136 | |
| **Average:** | 3.67 | uR/hr |
| **Standard Deviation:** | 0.25 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 5.20 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Kitchen | Installed Dishwasher. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| A3 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| A5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| A8 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| A9 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A10 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| A13 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| B1 | 3.6 | uR/hr | Kitchen | Installed Stove. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| B2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 4.0 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| B6 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B7 | 4.0 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| B8 | 3.6 | uR/hr | Closet | Percentage of grid falls outside of unit. | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | 20% accessible |
| B9 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B10 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| B13 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| C1 | 3.6 | uR/hr | Kitchen | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | 90% accessible, installed refrigerator |
| C2 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C8 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C11 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C12 | 4.0 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| C13 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| D1 | 3.2 | uR/hr | Kitchen | Installed refrigerator. | 3.6 | uR/hr | Dining Room | | | uR/hr | | | No | 90% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D2 | 3.6 | uR/hr | Kitchen | | 3.6 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D3 | 3.6 | uR/hr | Kitchen | | 3.6 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D4 | 3.6 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | |
| D5 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D8 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| D9 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| D10 | 3.6 | uR/hr | Bedroom | | 3.6 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D11 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| D12 | 4.0 | uR/hr | Bedroom | | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | |
| D13 | 4.0 | uR/hr | Closet | Percentage of grid falls outside of unit. | 4.0 | uR/hr | Bathroom | | | uR/hr | | | No | 40% accessible |
| E1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E6 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E7 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| E8 | 3.6 | uR/hr | Hallway | | 3.6 | uR/hr | Bedroom | | | uR/hr | | | No | |
| E9 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| E10 | 3.6 | uR/hr | Bathroom | Survey performed within accessible base cabinet. | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E11 | 5.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | elevated measurement due to Norm in toilet bowl material |
| E12 | 4.0 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| E13 | 4.0 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| F1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.6 | uR/hr | Closet | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| F6 | 3.2 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | | uR/hr | | | No | mech room static taken 21" above floor |
| F7 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Mech Room | Installed water heater. | | uR/hr | | | No | 60% accessible, mech room static taken 21" above floor |
| F8 | 3.6 | uR/hr | Hallway | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | |
| F9 | 3.2 | uR/hr | Closet | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| F10 | 3.6 | uR/hr | Utility | | 3.6 | uR/hr | Closet | | | uR/hr | | | No | |
| F11 | 3.6 | uR/hr | Utility | Clothes dryer within grid. | | uR/hr | | | | uR/hr | | | No | 50% accessible, installed washing machine |
| F12 | 4.0 | uR/hr | Storage | | 3.6 | uR/hr | Utility | Washing machine within grid. | | uR/hr | | | No | 80% accessible |
| F13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| G1 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G2 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G3 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G4 | 3.6 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| G5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| G9 | 3.6 | uR/hr | Hallway | | 3.6 | uR/hr | Utility | | | uR/hr | | | No | |
| G10 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G11 | 3.6 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 3.6 | uR/hr | Utility | | 3.6 | uR/hr | Storage | | | uR/hr | | | No | |
| G13 | 4.0 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 40% accessible |
| H1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 3.6 | uR/hr | Living Room | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| H5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.6 | uR/hr | Hallway | Grid partially contained within wall construction. | | uR/hr | | | | uR/hr | | | No | 80% accessible |
| H7 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| H8 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| H9 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H10 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| H11 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| H12 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| H13 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| I1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I2 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.6 | uR/hr | Living Room | | 3.6 | uR/hr | Hallway | | | uR/hr | | | No | |
| I5 | 3.6 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| I6 | 3.6 | uR/hr | Hallway | Grid partially contained within wall construction. | | uR/hr | | | | uR/hr | | | No | 70% accessible |
| J1 | 3.6 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J2 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J3 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 4.0 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| J5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| J6 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

**CBI Supervisor :** Tina Piquet

**Signature :**

**Senior Technician :** Daphne Degering

**Signature :**

**Signoff Notes:**

# Summary Report
## 1444 Croaker Court Unit F

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/14/2014 11:41 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309099 |
| **Layout:** | Floor Plan 8B |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 12.5 W 10.1 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | Yes |
| **Unit Notes:** | |

K1 to K4 and K9 to K13 were less than 6" and were surveyed with adjacent grids. Grids in row 14, A5, J5 and K5 are outside of floor plan.

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 138 | |
| **Average:** | 3.21 | uR/hr |
| **Standard Deviation:** | 0.18 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 4.40 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Living Room | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| A5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| B1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Living Room | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 80% accessible |
| B6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| C1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Living Room | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| D1 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D2 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D3 | 3.2 | uR/hr | Living Room | | | uR/hr | | | | uR/hr | | | No | |
| D4 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Living Room | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D5 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| D6 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D7 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D8 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D9 | 3.2 | uR/hr | Hallway | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D10 | 3.2 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D11 | 3.2 | uR/hr | Utility | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 90% accessible |
| D12 | 3.2 | uR/hr | Utility | Percentage of grid falls outside of unit. | 3.2 | uR/hr | Storage | | | uR/hr | | | No | 90% accessible |
| D13 | 3.2 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| D14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| E1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E4 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| E5 | 3.2 | uR/hr | Closet | | 2.8 | uR/hr | Hallway | | | uR/hr | | | No | |
| E6 | 3.2 | uR/hr | Hallway | | 2.8 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | No | 70% accessible, static taken 25" from floor surface in mech room |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E7 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Mech Room | Installed water heater. | | uR/hr | | | No | 70% accessible, static taken 25" from floor surface in mech room |
| E8 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| E9 | 3.2 | uR/hr | Hallway | | 3.2 | uR/hr | Closet | | | uR/hr | | | No | |
| E10 | 2.8 | uR/hr | Closet | | 3.2 | uR/hr | Utility | | | uR/hr | | | No | moved installed dryer to survey grid |
| E11 | 3.2 | uR/hr | Utility | | | uR/hr | | | | uR/hr | | | No | moved installed washer to survey grid |
| E12 | 3.2 | uR/hr | Utility | | 3.2 | uR/hr | Storage | | | uR/hr | | | No | |
| E13 | 3.6 | uR/hr | Storage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| E14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| F1 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F2 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F3 | 3.2 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F4 | 2.8 | uR/hr | Dining Room | | | uR/hr | | | | uR/hr | | | No | |
| F5 | 3.2 | uR/hr | Bedroom | | 2.8 | uR/hr | Closet | | | uR/hr | | | No | |
| F6 | 3.2 | uR/hr | Bedroom | | 2.8 | uR/hr | Mech Room | Installed furnace. | | uR/hr | | | No | 70% accessible, static taken 25" from floor surface in mech room |
| F7 | 3.2 | uR/hr | Bedroom | | 2.8 | uR/hr | Mech Room | Installed water heater. | | uR/hr | | | No | 70% accessible, static taken 25" from floor surface in mech room |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| F8 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| F9 | 3.2 | uR/hr | Hallway | | | uR/hr | | | | uR/hr | | | No | |
| F10 | 3.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| F11 | 4.4 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | static taken by toilet |
| F12 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| F13 | 3.6 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible, static taken in bathtub |
| F14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| G1 | 2.8 | uR/hr | Kitchen | | 2.8 | uR/hr | Dining Room | | | uR/hr | | | No | moved installed refrigerator to survey grid |
| G2 | 3.2 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | |
| G3 | 3.2 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | |
| G4 | 3.2 | uR/hr | Kitchen | | 3.2 | uR/hr | Dining Room | | | uR/hr | | | No | |
| G5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| G8 | 3.2 | uR/hr | Closet | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| G9 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Hallway | | | uR/hr | | | No | |
| G10 | 3.2 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| G11 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| G12 | 3.6 | uR/hr | Bathroom | | | uR/hr | | | | uR/hr | | | No | |
| G13 | 3.6 | uR/hr | Bathroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible, static taken in bathtub |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| H1 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H2 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H3 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H4 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| H5 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H6 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H7 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H8 | 3.2 | uR/hr | Closet | | | uR/hr | | | | uR/hr | | | No | |
| H9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| H10 | 3.2 | uR/hr | Bathroom | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| H11 | 3.2 | uR/hr | Bedroom | | 3.2 | uR/hr | Bathroom | | | uR/hr | | | No | |
| H12 | 3.2 | uR/hr | Bathroom | | 3.2 | uR/hr | Bedroom | | | uR/hr | | | No | |
| H13 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| H14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| I1 | 3.2 | uR/hr | Kitchen | Installed Stove. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| I2 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I3 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I4 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| I5 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| I6 | 3.2 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I7 | 3.6 | uR/hr | Bedroom | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| I8 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| I9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I10 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I12 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| I13 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| I14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| J1 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J2 | 3.2 | uR/hr | Kitchen | Installed Dishwasher. | | uR/hr | | | | uR/hr | | | No | 60% accessible |
| J3 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J4 | 3.2 | uR/hr | Kitchen | | | uR/hr | | | | uR/hr | | | No | |
| J5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| J9 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J10 | 3.6 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J11 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J12 | 3.2 | uR/hr | Bedroom | | | uR/hr | | | | uR/hr | | | No | |
| J13 | 3.2 | uR/hr | Closet | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 50% accessible |
| J14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| K5 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |
| K14 | | uR/hr | Outside | Grids are outside unit interior boundary. | | uR/hr | | | | uR/hr | | | No | Outside of floor plan |

**CBI Supervisor :** Natalie Rothell

**Signature :**



**Senior Technician :** Ricky Laguna

**Signature :**

**Signoff Notes:**

# Summary Report
## 1444 Croaker Court Unit G1

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/14/2014 8:57 AM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

Twin bed with box springs (no sheets) in grids B1-C1.

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.08 | uR/hr |
| **Standard Deviation:** | 0.19 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.20 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**

**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**

# Summary Report
## 1444 Croaker Court Unit G2

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/11/2014 3:47 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.38 | uR/hr |
| **Standard Deviation:** | 0.20 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 3.60 | uR/hr |
| **Median:** | 3.20 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**

**Signoff Notes:**

**Senior Technician :** Efraim Ramirez

**Signature :**

# Summary Report
## 1444 Croaker Court Unit G3

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 6/26/2014 3:05 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309099 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.2 W 3.3 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.49 | uR/hr |
| **Standard Deviation:** | 0.23 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.60 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 4.0 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible, static taken 10 inches from floor surface due to shelf |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D7 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D8 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 20% accessible |
| D9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Natalie Rothell

**Signature :**

**Senior Technician :** Ricky Luguna

**Signature :**

**Signoff Notes:**

# Summary Report
## 1444 Croaker Court Unit G4

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 7/9/2014 3:51 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309119 |
| **Layout:** | Garage |
| **Background Reading:** | 3.6 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | No |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.58 | uR/hr |
| **Standard Deviation:** | 0.16 | uR/hr |
| **Minimum:** | 3.20 | uR/hr |
| **Maximum:** | 4.00 | uR/hr |
| **Median:** | 3.40 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 3.6 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 4.0 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 3.6 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Steve Phelps

**Signature :**



**Senior Technician :** Efraim Ramirez

**Signature :**



**Signoff Notes:**

# Summary Report
## 1444 Croaker Court Unit G5

### Unit Summary :

| | |
|---|---|
| **Completion Date:** | 8/8/2014 3:06 PM |
| **Instrument:** | 193-6 |
| **Serial #:** | 309136 |
| **Layout:** | Garage |
| **Background Reading:** | 3.2 uR/hr |
| **Dimensions (m):** | D 8.1 W 3.3 |
| **Unit Furnished:** | Yes |
| **Tenant Present:** | No |
| **Unit Notes:** | |

### Summary Statistics :

| | | |
|---|---|---|
| **Total # of Readings:** | 36 | |
| **Average:** | 3.01 | uR/hr |
| **Standard Deviation:** | 0.20 | uR/hr |
| **Minimum:** | 2.80 | uR/hr |
| **Maximum:** | 3.20 | uR/hr |
| **Median:** | 3.00 | uR/hr |
| **# Anomalies:** | 0 | |

### Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



## Survey Information:

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A3 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A4 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A7 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| A9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| B1 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B2 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B4 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B5 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B6 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B7 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B8 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| B9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| C1 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C2 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C3 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C4 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C5 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C6 | 3.2 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C7 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |

| Grid | Primary Reading | Unit | Desc. | Cell Note | 2nd Reading | Unit | Desc. | Cell Note | 3rd Reading | Unit | Desc. | Cell Note | Anomaly | General Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| C8 | 2.8 | uR/hr | Garage | | | uR/hr | | | | uR/hr | | | No | |
| C9 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 10% accessible |
| D1 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D2 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D3 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D4 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D5 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D6 | 3.2 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D7 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D8 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 30% accessible |
| D9 | 2.8 | uR/hr | Garage | Percentage of grid falls outside of unit. | | uR/hr | | | | uR/hr | | | No | 5% accessible |

**CBI Supervisor :** Adam Hickok

**Signature :**

**Senior Technician :** Phillip Perez

**Signature :**

**Signoff Notes:**